

The μ lab book

Release 3.3.4

Zoltán Vörös

with contributions by

Roberto Colistete Jr.

Jeff Epler

Taku Fukada

Diego Elio Pettenò

Scott Shawcroft

November 19, 2021

INTRODUCTION

1	Introduction	1
1.1	Enter ulab	1
1.2	Purpose	1
1.3	Resources and legal matters	2
1.4	Friendly request	2
1.5	Differences between micropython-ulab and circuitpython-ulab	3
2	Customising the firmware	5
2.1	Compatibility with numpy	6
2.2	The impact of dimensionality	7
2.3	The ulab version string	9
2.4	Finding out what your firmware supports	10
3	ndarray, the base class	13
3.1	The ndinfo function	13
3.2	Initialising an array	14
3.3	Array initialisation functions	16
3.4	diag	18
3.5	empty	19
3.6	Customising array printouts	24
3.7	Methods and properties of ndarrays	25
3.8	Unary operators	34
3.9	Binary operators	36
3.10	Comparison operators	40
3.11	Iterating over arrays	40
3.12	Slicing and indexing	41
4	Numpy functions	49
4.1	all	50
4.2	any	51
4.3	argmax	51
4.4	argmin	52
4.5	argsort	52
4.6	clip	53
4.7	convolve	54
4.8	diff	54
4.9	dot	55
4.10	equal	57
4.11	flip	57
4.12	interp	58

4.13	isfinite	59
4.14	isinf	60
4.15	mean	61
4.16	max	61
4.17	median	62
4.18	min	63
4.19	minimum	63
4.20	maximum	63
4.21	not_equal	64
4.22	polyfit	64
4.23	polyval	65
4.24	roll	65
4.25	sort	67
4.26	std	68
4.27	sum	69
4.28	trace	70
4.29	trapz	70
4.30	where	71
5	Universal functions	73
5.1	Computation expenses	74
5.2	arctan2	75
5.3	around	76
5.4	Vectorising generic python functions	76
6	numpy.fft	81
6.1	fft	81
6.2	ifft	82
6.3	Computation and storage costs	83
7	numpy.linalg	85
7.1	cholesky	85
7.2	det	86
7.3	eig	86
7.4	inv	88
7.5	norm	89
7.6	qr	90
8	scipy.linalg	93
8.1	cho_solve	93
8.2	solve_triangular	94
9	scipy.optimize	97
9.1	bisect	97
9.2	fmin	99
9.3	newton	99
10	scipy.signal	101
10.1	sosfilt	101
10.2	spectrogram	102
11	scipy.special	105
12	ulab utilities	107
12.1	from_int32_buffer, from_uint32_buffer	107

12.2	from_int16_buffer, from_uint16_buffer	109
13	Tricks	111
13.1	Use an ndarray, if you can	111
13.2	Use a reasonable dtype	112
13.3	Beware the axis!	112
13.4	Reduce the number of artifacts	112
14	Programming ulab	115
14.1	Code organisation	115
14.2	The ndarray object	115
14.3	Iterating over elements of a tensor	116
14.4	Iterating over two ndarrays simultaneously: broadcasting	119
14.5	Contracting an ndarray	120
14.6	Upcasting	122
14.7	Slicing and indexing	123
14.8	Extending ulab	123
14.9	Creating a new ndarray	123
14.10	Accessing data in the ndarray	125
14.11	Boilerplate	126
15	Indices and tables	129

INTRODUCTION

1.1 Enter ulab

`ulab` is a `numpy`-like module for `micropython` and its derivatives, meant to simplify and speed up common mathematical operations on arrays. `ulab` implements a small subset of `numpy` and `scipy`. The functions were chosen such that they might be useful in the context of a microcontroller. However, the project is a living one, and suggestions for new features are always welcome.

This document discusses how you can use the library, starting from building your own firmware, through questions like what affects the firmware size, what are the trade-offs, and what are the most important differences to `numpy` and `scipy`, respectively. The document is organised as follows:

The chapter after this one helps you with firmware customisation.

The third chapter gives a very concise summary of the `ulab` functions and array methods. This chapter can be used as a quick reference.

The chapters after that are an in-depth review of most functions. Here you can find usage examples, benchmarks, as well as a thorough discussion of such concepts as broadcasting, and views versus copies.

The final chapter of this book can be regarded as the programming manual. The inner working of `ulab` is dissected here, and you will also find hints as to how to implement your own `numpy`-compatible functions.

1.2 Purpose

Of course, the first question that one has to answer is, why on Earth one would need a fast math library on a microcontroller. After all, it is not expected that heavy number crunching is going to take place on bare metal. It is not meant to. On a PC, the main reason for writing fast code is the sheer amount of data that one wants to process. On a microcontroller, the data volume is probably small, but it might lead to catastrophic system failure, if these data are not processed in time, because the microcontroller is supposed to interact with the outside world in a timely fashion. In fact, this latter objective was the initiator of this project: I needed the Fourier transform of a signal coming from the ADC of the `pyboard`, and all available options were simply too slow.

In addition to speed, another issue that one has to keep in mind when working with embedded systems is the amount of available RAM: I believe, everything here could be implemented in pure `python` with relatively little effort (in fact, there are a couple of `python`-only implementations of `numpy` functions out there), but the price we would have to pay for that is not only speed, but RAM, too. `python` code, if is not frozen, and compiled into the firmware, has to be compiled at runtime, which is not exactly a cheap process. On top of that, if numbers are stored in a list or tuple, which would be the high-level container, then they occupy 8 bytes, no matter, whether they are all smaller than 100, or larger than one hundred million. This is obviously a waste of resources in an environment, where resources are scarce.

Finally, there is a reason for using `micropython` in the first place. Namely, that a microcontroller can be programmed in a very elegant, and *pythonic* way. But if it is so, why should we not extend this idea to other tasks and concepts that might come up in this context? If there was no other reason than this *elegance*, I would find that convincing enough.

Based on the above-mentioned considerations, all functions in `ulab` are implemented in a way that

1. conforms to `numpy` as much as possible
2. is so frugal with RAM as possible,
3. and yet, fast. Much faster than pure python. Think of speed-ups of 30-50!

The main points of `ulab` are

- compact, iterable and slicable containers of numerical data in one to four dimensions. These containers support all the relevant unary and binary operators (e.g., `len`, `==`, `+`, `*`, etc.)
- vectorised computations on `micropython` iterables and numerical arrays (in `numpy`-speak, universal functions)
- computing statistical properties (mean, standard deviation etc.) on arrays
- basic linear algebra routines (matrix inversion, multiplication, reshaping, transposition, determinant, and eigenvalues, Cholesky decomposition and so on)
- polynomial fits to numerical data, and evaluation of polynomials
- fast Fourier transforms
- filtering of data (convolution and second-order filters)
- function minimisation, fitting, and numerical approximation routines

`ulab` implements close to a hundred functions and array methods. At the time of writing this manual (for version 2.1.0), the library adds approximately 120 kB of extra compiled code to the `micropython` (pyboard.v.11) firmware. However, if you are tight with flash space, you can easily shave tens of kB off the firmware. In fact, if only a small sub-set of functions are needed, you can get away with less than 10 kB of flash space. See the section on *customising ulab*.

1.3 Resources and legal matters

The source code of the module can be found under <https://github.com/v923z/micropython-ulab/tree/master/code>. while the source of this user manual is under <https://github.com/v923z/micropython-ulab/tree/master/docs>.

The MIT licence applies to all material.

1.4 Friendly request

If you use `ulab`, and bump into a bug, or think that a particular function is missing, or its behaviour does not conform to `numpy`, please, raise a *ulab issue* on github, so that the community can profit from your experiences.

Even better, if you find the project to be useful, and think that it could be made better, faster, tighter, and shinier, please, consider contributing, and issue a pull request with the implementation of your improvements and new features. `ulab` can only become successful, if it offers what the community needs.

These last comments apply to the documentation, too. If, in your opinion, the documentation is obscure, misleading, or not detailed enough, please, let us know, so that *we* can fix it.

1.5 Differences between micropython-ulab and circuitpython-ulab

ulab has originally been developed for micropython, but has since been integrated into a number of its flavours. Most of these flavours are simply forks of micropython itself, with some additional functionality. One of the notable exceptions is circuitpython, which has slightly diverged at the core level, and this has some minor consequences. Some of these concern the C implementation details only, which all have been sorted out with the generous and enthusiastic support of Jeff Epler from [Adafruit Industries](#).

There are, however, a couple of instances, where the two environments differ at the python level in how the class properties can be accessed. We will point out the differences and possible workarounds at the relevant places in this document.

CUSTOMISING THE FIRMWARE

As mentioned above, ulab has considerably grown since its conception, which also means that it might no longer fit on the microcontroller of your choice. There are, however, a couple of ways of customising the firmware, and thereby reducing its size.

All ulab options are listed in a single header file, `ulab.h`, which contains pre-processor flags for each feature that can be fine-tuned. The first couple of lines of the file look like this

```
// The pre-processor constants in this file determine how ulab behaves:
//
// - how many dimensions ulab can handle
// - which functions are included in the compiled firmware
// - whether the python syntax is numpy-like, or modular
// - whether arrays can be sliced and iterated over
// - which binary/unary operators are supported
//
// A considerable amount of flash space can be saved by removing (setting
// the corresponding constants to 0) the unnecessary functions and features.

// Determines, whether scipy is defined in ulab. The sub-modules and functions
// of scipy have to be defined separately
#define ULAB_HAS SCIPY (1)

// The maximum number of dimensions the firmware should be able to support
// Possible values lie between 1, and 4, inclusive
#define ULAB_MAX_DIMS 2

// By setting this constant to 1, iteration over array dimensions will be implemented
// as a function (ndarray_rewind_array), instead of writing out the loops in macros
// This reduces firmware size at the expense of speed
#define ULAB_HAS_FUNCTION_ITERATOR (0)

// If NDARRAY_IS_ITERABLE is 1, the ndarray object defines its own iterator function
// This option saves approx. 250 bytes of flash space
#define NDARRAY_IS_ITERABLE (1)

// Slicing can be switched off by setting this variable to 0
#define NDARRAY_IS_SLICEABLE (1)

// The default threshold for pretty printing. These variables can be overwritten
// at run-time via the set_printoptions() function
#define ULAB_HAS_PRINTOPTIONS (1)
```

(continues on next page)

(continued from previous page)

```

#define NDARRAY_PRINT_THRESHOLD      10
#define NDARRAY_PRINT_EDGEITEMS     3

// determines, whether the dtype is an object, or simply a character
// the object implementation is numpythonic, but requires more space
#define ULAB_HAS_DTYPE_OBJECT        (0)

// the ndarray binary operators
#define NDARRAY_HAS_BINARY_OPS       (1)

// Firmware size can be reduced at the expense of speed by using function
// pointers in iterations. For each operator, he function pointer saves around
// 2 kB in the two-dimensional case, and around 4 kB in the four-dimensional case.

#define NDARRAY_BINARY_USES_FUN_POINTER (0)

#define NDARRAY_HAS_BINARY_OP_ADD      (1)
#define NDARRAY_HAS_BINARY_OP_EQUAL    (1)
#define NDARRAY_HAS_BINARY_OP_LESS     (1)
#define NDARRAY_HAS_BINARY_OP_LESS_EQUAL (1)
#define NDARRAY_HAS_BINARY_OP_MORE     (1)
#define NDARRAY_HAS_BINARY_OP_MORE_EQUAL (1)
#define NDARRAY_HAS_BINARY_OP_MULTIPLY (1)
#define NDARRAY_HAS_BINARY_OP_NOT_EQUAL (1)
#define NDARRAY_HAS_BINARY_OP_POWER    (1)
#define NDARRAY_HAS_BINARY_OP_SUBTRACT (1)
#define NDARRAY_HAS_BINARY_OP_TRUE_DIVIDE (1)
...

```

The meaning of flags with names `_HAS_` should be obvious, so we will just explain the other options.

To see how much you can gain by un-setting the functions that you do not need, here are some pointers. In four dimensions, including all functions adds around 120 kB to the micropython firmware. On the other hand, if you are interested in Fourier transforms only, and strip everything else, you get away with less than 5 kB extra.

2.1 Compatibility with numpy

The functions implemented in ulab are organised in three sub-modules at the C level, namely, `numpy`, `scipy`, and `user`. This modularity is elevated to python, meaning that in order to use functions that are part of `numpy`, you have to import `numpy` as

```

from ulab import numpy as np

x = np.array([4, 5, 6])
p = np.array([1, 2, 3])
np.polyval(p, x)

```

There are a couple of exceptions to this rule, namely `fft`, and `linalg`, which are sub-modules even in `numpy`, thus you have to write them out as

```
from ulab import numpy as np

A = np.array([1, 2, 3, 4]).reshape()
np.linalg.trace(A)
```

Some of the functions in `ulab` are re-implementations of `scipy` functions, and they are to be imported as

```
from ulab import numpy as np
from ulab import scipy as spy

x = np.array([1, 2, 3])
spy.special.erf(x)
```

`numpy-compatibility` has an enormous benefit : namely, by trying to `import`, we can guarantee that the same, unmodified code runs in CPython, as in micropython. The following snippet is platform-independent, thus, the python code can be tested and debugged on a computer before loading it onto the microcontroller.

```
try:
    from ulab import numpy as np
    from ulab import scipy as spy
except ImportError:
    import numpy as np
    import scipy as spy

x = np.array([1, 2, 3])
spy.special.erf(x)
```

2.2 The impact of dimensionality

2.2.1 Reducing the number of dimensions

`ulab` supports tensors of rank four, but this is expensive in terms of flash: with all available functions and options, the library adds around 100 kB to the firmware. However, if such high dimensions are not required, significant reductions in size can be gotten by changing the value of

```
#define ULAB_MAX_DIMS 2
```

Two dimensions cost a bit more than half of four, while you can get away with around 20 kB of flash in one dimension, because all those functions that don't make sense (e.g., matrix inversion, eigenvalues etc.) are automatically stripped from the firmware.

2.2.2 Using the function iterator

In higher dimensions, the firmware size increases, because each dimension (axis) adds another level of nested loops. An example of this is the macro of the binary operator in three dimensions

```
#define BINARY_LOOP(results, type_out, type_left, type_right, larray, lstrides, rarray, \
↳ rstrides, OPERATOR)
    type_out *array = (type_out *)results->array;
    size_t j = 0;
    do {
        size_t k = 0;
        do {
            size_t l = 0;
            do {
                *array++ = *((type_left *) (larray)) OPERATOR *((type_right *) (rarray));
                (larray) += (lstrides)[ULAB_MAX_DIMS - 1];
                (rarray) += (rstrides)[ULAB_MAX_DIMS - 1];
                l++;
            } while(l < (results->shape[ULAB_MAX_DIMS - 1]);
            (larray) -= (lstrides)[ULAB_MAX_DIMS - 1] * (results->shape[ULAB_MAX_DIMS-
↳ 1];
            (larray) += (lstrides)[ULAB_MAX_DIMS - 2];
            (rarray) -= (rstrides)[ULAB_MAX_DIMS - 1] * (results->shape[ULAB_MAX_DIMS-
↳ 1];
            (rarray) += (rstrides)[ULAB_MAX_DIMS - 2];
            k++;
        } while(k < (results->shape[ULAB_MAX_DIMS - 2]);
        (larray) -= (lstrides)[ULAB_MAX_DIMS - 2] * results->shape[ULAB_MAX_DIMS-2];
        (larray) += (lstrides)[ULAB_MAX_DIMS - 3];
        (rarray) -= (rstrides)[ULAB_MAX_DIMS - 2] * results->shape[ULAB_MAX_DIMS-2];
        (rarray) += (rstrides)[ULAB_MAX_DIMS - 3];
        j++;
    } while(j < (results->shape[ULAB_MAX_DIMS - 3]);
```

In order to reduce firmware size, it *might* make sense in higher dimensions to make use of the function iterator by setting the

```
#define ULAB_HAS_FUNCTION_ITERATOR    (1)
```

constant to 1. This allows the compiler to call the `ndarray_rewind_array` function, so that it doesn't have to unwrap the loops for `k`, and `j`. Instead of the macro above, we now have

```
#define BINARY_LOOP(results, type_out, type_left, type_right, larray, lstrides, rarray, \
↳ rstrides, OPERATOR)
    type_out *array = (type_out *) (results->array);
    size_t *lcoords = ndarray_new_coords((results->ndim);
    size_t *rcoords = ndarray_new_coords((results->ndim);
    for(size_t i=0; i < (results->len/(results->shape[ULAB_MAX_DIMS -1]); i++) {
        size_t l = 0;
        do {
            *array++ = *((type_left *) (larray)) OPERATOR *((type_right *) (rarray));
            (larray) += (lstrides)[ULAB_MAX_DIMS - 1];
            (rarray) += (rstrides)[ULAB_MAX_DIMS - 1];
            l++;
```

(continues on next page)

(continued from previous page)

```

    } while(1 < (results)->shape[ULAB_MAX_DIMS - 1]);
    ndarray_rewind_array((results)->ndim, larray, (results)->shape, lstrides,
↪lcoords);
    ndarray_rewind_array((results)->ndim, rarray, (results)->shape, rstrides,
↪rcoords);
    } while(0)

```

Since the `ndarray_rewind_array` function is implemented only once, a lot of space can be saved. Obviously, function calls cost time, thus such trade-offs must be evaluated for each application. The gain also depends on which functions and features you include. Operators and functions that involve two arrays are expensive, because at the C level, the number of cases that must be handled scales with the squares of the number of data types. As an example, the innocent-looking expression

```

from ulab import numpy as np

a = np.array([1, 2, 3])
b = np.array([4, 5, 6])

c = a + b

```

requires 25 loops in C, because the `dtypes` of both `a`, and `b` can assume 5 different values, and the addition has to be resolved for all possible cases. Hint: each binary operator costs between 3 and 4 kB in two dimensions.

2.3 The ulab version string

As is customary with python packages, information on the package version can be found by querying the `__version__` string.

```

# code to be run in micropython

import ulab

print('you are running ulab version', ulab.__version__)

```

```
you are running ulab version 2.1.0-2D
```

The first three numbers indicate the major, minor, and sub-minor versions of `ulab` (defined by the `ULAB_VERSION` constant in `ulab.c`). We usually change the minor version, whenever a new function is added to the code, and the sub-minor version will be incremented, if a bug fix is implemented.

2D tells us that the particular firmware supports tensors of rank 2 (defined by `ULAB_MAX_DIMS` in `ulab.h`).

If you find a bug, please, include the version string in your report!

Should you need the numerical value of `ULAB_MAX_DIMS`, you can get it from the version string in the following way:

```

# code to be run in micropython

import ulab

version = ulab.__version__
version_dims = version.split('-')[1]

```

(continues on next page)

(continued from previous page)

```
version_num = int(version_dims.replace('D', ''))

print('version string: ', version)
print('version dimensions: ', version_dims)
print('numerical value of dimensions: ', version_num)
```

```
version string:  2.1.0-2D
version dimensions:  2D
numerical value of dimensions:  2
```

2.4 Finding out what your firmware supports

ulab implements a number of array operators and functions, but this does not mean that all of these functions and methods are actually compiled into the firmware. You can fine-tune your firmware by setting/unsetting any of the `_HAS_` constants in `ulab.h`.

2.4.1 Functions included in the firmware

The version string will not tell you everything about your firmware, because the supported functions and sub-modules can still arbitrarily be included or excluded. One way of finding out what is compiled into the firmware is calling `dir` with `ulab` as its argument.

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy

print('==== constants, functions, and modules of numpy ==== \n \n', dir(np))

# since fft and linalg are sub-modules, print them separately
print('\n functions included in the fft module: \n', dir(np.fft))
print('\n functions included in the linalg module: \n', dir(np.linalg))

print('\n \n ==== modules of scipy ==== \n \n', dir(spy))
print('\n functions included in the optimize module: \n', dir(spy.optimize))
print('\n functions included in the signal module: \n', dir(spy.signal))
print('\n functions included in the special module: \n', dir(spy.special))
```

```
==== constants, functions, and modules of numpy ====
```

```
['__class__', '__name__', 'bool', 'sort', 'sum', 'acos', 'acosh', 'arange', 'arctan2',
→ 'argmax', 'argmin', 'argsort', 'around', 'array', 'asin', 'asinh', 'atan', 'atanh',
→ 'ceil', 'clip', 'concatenate', 'convolve', 'cos', 'cosh', 'cross', 'degrees', 'diag',
→ 'diff', 'e', 'equal', 'exp', 'expm1', 'eye', 'fft', 'flip', 'float', 'floor',
→ 'frombuffer', 'full', 'get_printoptions', 'inf', 'int16', 'int8', 'interp', 'linalg',
→ 'linspace', 'log', 'log10', 'log2', 'logspace', 'max', 'maximum', 'mean', 'median',
→ 'min', 'minimum', 'nan', 'ndinfo', 'not_equal', 'ones', 'pi', 'polyfit', 'polyval',
→ 'radians', 'roll', 'set_printoptions', 'sin', 'sinh', 'sqrt', 'std', 'tan', 'tanh',
→ 'trapz', 'uint16', 'uint8', 'vectorize', 'zeros']
```

(continues on next page)

(continued from previous page)

```

functions included in the fft module:
['__class__', '__name__', 'fft', 'ifft']

functions included in the linalg module:
['__class__', '__name__', 'cholesky', 'det', 'dot', 'eig', 'inv', 'norm', 'trace']

===== modules of scipy =====

['__class__', '__name__', 'optimize', 'signal', 'special']

functions included in the optimize module:
['__class__', '__name__', 'bisect', 'fmin', 'newton']

functions included in the signal module:
['__class__', '__name__', 'sosfilt', 'spectrogram']

functions included in the special module:
['__class__', '__name__', 'erf', 'erfc', 'gamma', 'gammainc']

```

2.4.2 Methods included in the firmware

The `dir` function applied to the module or its sub-modules gives information on what the module and sub-modules include, but is not enough to find out which methods the `ndarray` class supports. We can list the methods by calling `dir` with the array object itself:

```
# code to be run in micropython
```

```

from ulab import numpy as np

print(dir(np.array))

```

```

['__class__', '__name__', 'copy', 'sort', '__bases__', '__dict__', 'dtype', 'flatten',
↪ 'itemsize', 'reshape', 'shape', 'size', 'strides', 'tobytes', 'transpose']

```

2.4.3 Operators included in the firmware

A list of operators cannot be generated as shown above. If you really need to find out, whether, e.g., the `**` operator is supported by the firmware, you have to try it:

```
# code to be run in micropython
```

```

from ulab import numpy as np

a = np.array([1, 2, 3])
b = np.array([4, 5, 6])

try:

```

(continues on next page)

(continued from previous page)

```
print(a ** b)
except Exception as e:
    print('operator is not supported: ', e)
```

```
operator is not supported: unsupported types for __pow__: 'ndarray', 'ndarray'
```

The exception above would be raised, if the firmware was compiled with the

```
#define NDARRAY_HAS_BINARY_OP_POWER      (0)
```

definition.

NDARRAY, THE BASE CLASS

The `ndarray` is the underlying container of numerical data. It can be thought of as micropython's own array object, but has a great number of extra features starting with how it can be initialised, which operations can be done on it, and which functions can accept it as an argument. One important property of an `ndarray` is that it is also a proper micropython iterable.

The `ndarray` consists of a short header, and a pointer that holds the data. The pointer always points to a contiguous segment in memory (`numpy` is more flexible in this regard), and the header tells the interpreter, how the data from this segment is to be read out, and what the bytes mean. Some operations, e.g., `reshape`, are fast, because they do not operate on the data, they work on the header, and therefore, only a couple of bytes are manipulated, even if there are a million data entries. A more detailed exposition of how operators are implemented can be found in the section titled *Programming ulab*.

Since the `ndarray` is a binary container, it is also compact, meaning that it takes only a couple of bytes of extra RAM in addition to what is required for storing the numbers themselves. `ndarrays` are also type-aware, i.e., one can save RAM by specifying a data type, and using the smallest reasonable one. Five such types are defined, namely `uint8`, `int8`, which occupy a single byte of memory per datum, `uint16`, and `int16`, which occupy two bytes per datum, and `float`, which occupies four or eight bytes per datum. The precision/size of the `float` type depends on the definition of `mp_float_t`. Some platforms, e.g., the PYBD, implement doubles, but some, e.g., the pyboard.v11, do not. You can find out, what type of float your particular platform implements by looking at the output of the `.itemsize` class property, or looking at the exact `dtype`, when you print out an array.

In addition to the five above-mentioned numerical types, it is also possible to define Boolean arrays, which can be used in the indexing of data. However, Boolean arrays are really nothing but arrays of type `uint8` with an extra flag.

On the following pages, we will see how one can work with `ndarrays`. Those familiar with `numpy` should find that the nomenclature and naming conventions of `numpy` are adhered to as closely as possible. We will point out the few differences, where necessary.

For the sake of comparison, in addition to the `ulab` code snippets, sometimes the equivalent `numpy` code is also presented. You can find out, where the snippet is supposed to run by looking at its first line, the header of the code block.

3.1 The `ndinfo` function

A concise summary of a couple of the properties of an `ndarray` can be printed out by calling the `ndinfo` function. In addition to finding out what the *shape* and *strides* of the array array, we also get the `itemsize`, as well as the type. An interesting piece of information is the *data pointer*, which tells us, what the address of the data segment of the `ndarray` is. We will see the significance of this in the section *Slicing and indexing*.

Note that this function simply prints some information, but does not return anything. If you need to get a handle of the data contained in the printout, you should call the dedicated `shape`, `strides`, or `itemsize` functions directly.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(5), dtype=np.float)
b = np.array(range(25), dtype=np.uint8).reshape((5, 5))
np.ndinfo(a)
print('\n')
np.ndinfo(b)
```

```
class: ndarray
shape: (5,)
strides: (8,)
itemsize: 8
data pointer: 0x7f8f6fa2e240
type: float

class: ndarray
shape: (5, 5)
strides: (5, 1)
itemsize: 1
data pointer: 0x7f8f6fa2e2e0
type: uint8
```

3.2 Initialising an array

A new array can be created by passing either a standard micropython iterable, or another ndarray into the constructor.

3.2.1 Initialising by passing iterables

If the iterable is one-dimensional, i.e., one whose elements are numbers, then a row vector will be created and returned. If the iterable is two-dimensional, i.e., one whose elements are again iterables, a matrix will be created. If the lengths of the iterables are not consistent, a `ValueError` will be raised. Iterables of different types can be mixed in the initialisation function.

If the `dtype` keyword with the possible `uint8/int8/uint16/int16/float` values is supplied, the new ndarray will have that type, otherwise, it assumes `float` as default.

```
# code to be run in micropython

from ulab import numpy as np

a = [1, 2, 3, 4, 5, 6, 7, 8]
b = np.array(a)

print("a:\t", a)
print("b:\t", b)

# a two-dimensional array with mixed-type initialisers
```

(continues on next page)

(continued from previous page)

```
c = np.array([range(5), range(20, 25, 1), [44, 55, 66, 77, 88]], dtype=np.uint8)
print("\nc:\t", c)
```

and now we throw an exception

```
d = np.array([range(5), range(10), [44, 55, 66, 77, 88]], dtype=np.uint8)
print("\nd:\t", d)
```

```
a:  [1, 2, 3, 4, 5, 6, 7, 8]
b:  array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)

c:  array([[0, 1, 2, 3, 4],
          [20, 21, 22, 23, 24],
          [44, 55, 66, 77, 88]], dtype=uint8)
```

Traceback (most recent call last):

```
File "/dev/shm/micropython.py", line 15, in <module>
ValueError: iterables are not of the same length
```

3.2.2 Initialising by passing arrays

An ndarray can be initialised by supplying another array. This statement is almost trivial, since ndarrays are iterables themselves, though it should be pointed out that initialising through arrays is a bit faster. This statement is especially true, if the dtypes of the source and output arrays are the same, because then the contents can simply be copied without further ado. While type conversion is also possible, it will always be slower than straight copying.

code to be run in micropython

```
from ulab import numpy as np

a = [1, 2, 3, 4, 5, 6, 7, 8]
b = np.array(a)
c = np.array(b)
d = np.array(b, dtype=np.uint8)

print("a:\t", a)
print("\nb:\t", b)
print("\nc:\t", c)
print("\nd:\t", d)
```

```
a:  [1, 2, 3, 4, 5, 6, 7, 8]
b:  array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
c:  array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
d:  array([1, 2, 3, 4, 5, 6, 7, 8], dtype=uint8)
```

Note that the default type of the ndarray is float. Hence, if the array is initialised from another array, type conversion will always take place, except, when the output type is specifically supplied. I.e.,

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(5), dtype=np.uint8)
b = np.array(a)
print("a:\t", a)
print("\nb:\t", b)
```

```
a:  array([0, 1, 2, 3, 4], dtype=uint8)

b:  array([0.0, 1.0, 2.0, 3.0, 4.0], dtype=float64)
```

will iterate over the elements in `a`, since in the assignment `b = np.array(a)`, no output type was given, therefore, float was assumed. On the other hand,

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(5), dtype=np.uint8)
b = np.array(a, dtype=np.uint8)
print("a:\t", a)
print("\nb:\t", b)
```

```
a:  array([0, 1, 2, 3, 4], dtype=uint8)

b:  array([0, 1, 2, 3, 4], dtype=uint8)
```

will simply copy the content of `a` into `b` without any iteration, and will, therefore, be faster. Keep this in mind, whenever the output type, or performance is important.

3.3 Array initialisation functions

There are nine functions that can be used for initialising an array.

1. *numpy.arange*
2. *numpy.concatenate*
3. *numpy.diag*
4. *numpy.empty*
5. *numpy.eye*
6. *numpy.frombuffer*
7. *numpy.full*
8. *numpy.linspace*
9. *numpy.logspace*
10. *numpy.ones*
11. *numpy.zeros*

3.3.1 arange

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.arange.html>

The function returns a one-dimensional array with evenly spaced values. Takes 3 positional arguments (two are optional), and the dtype keyword argument.

```
# code to be run in micropython

from ulab import numpy as np

print(np.arange(10))
print(np.arange(2, 10))
print(np.arange(2, 10, 3))
print(np.arange(2, 10, 3, dtype=np.float))
```

```
array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9], dtype=int16)
array([2, 3, 4, 5, 6, 7, 8, 9], dtype=int16)
array([2, 5, 8], dtype=int16)
array([2.0, 5.0, 8.0], dtype=float64)
```

3.3.2 concatenate

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.concatenate.html>

The function joins a sequence of arrays, if they are compatible in shape, i.e., if all shapes except the one along the joining axis are equal.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(25), dtype=np.uint8).reshape((5, 5))
b = np.array(range(15), dtype=np.uint8).reshape((3, 5))

c = np.concatenate((a, b), axis=0)
print(c)
```

```
array([[0, 1, 2, 3, 4],
       [5, 6, 7, 8, 9],
       [10, 11, 12, 13, 14],
       [15, 16, 17, 18, 19],
       [20, 21, 22, 23, 24],
       [0, 1, 2, 3, 4],
       [5, 6, 7, 8, 9],
       [10, 11, 12, 13, 14]], dtype=uint8)
```

WARNING: numpy accepts arbitrary dtypes in the sequence of arrays, in ulab the dtypes must be identical. If you want to concatenate different types, you have to convert all arrays to the same type first. Here `b` is of `float` type, so it cannot directly be concatenated to `a`. However, if we cast the dtype of `b`, the concatenation works:

```
# code to be run in micropython
```

(continues on next page)

(continued from previous page)

```

from ulab import numpy as np

a = np.array(range(25), dtype=np.uint8).reshape((5, 5))
b = np.array(range(15), dtype=np.float).reshape((5, 3))
d = np.array(b+1, dtype=np.uint8)
print('a: ', a)
print('='*20 + '\nd: ', d)
c = np.concatenate((d, a), axis=1)
print('='*20 + '\nc: ', c)

```

```

a:  array([[0, 1, 2, 3, 4],
          [5, 6, 7, 8, 9],
          [10, 11, 12, 13, 14],
          [15, 16, 17, 18, 19],
          [20, 21, 22, 23, 24]], dtype=uint8)
=====
d:  array([[1, 2, 3],
          [4, 5, 6],
          [7, 8, 9],
          [10, 11, 12],
          [13, 14, 15]], dtype=uint8)
=====
c:  array([[1, 2, 3, 0, 1, 2, 3, 4],
          [4, 5, 6, 5, 6, 7, 8, 9],
          [7, 8, 9, 10, 11, 12, 13, 14],
          [10, 11, 12, 15, 16, 17, 18, 19],
          [13, 14, 15, 20, 21, 22, 23, 24]], dtype=uint8)

```

3.4 diag

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.diag.html>

Extract a diagonal, or construct a diagonal array.

The function takes two arguments, an ndarray, and a shift. If the first argument is a two-dimensional array, the function returns a one-dimensional array containing the diagonal entries. The diagonal can be shifted by an amount given in the second argument.

If the first argument is a one-dimensional array, the function returns a two-dimensional tensor with its diagonal elements given by the first argument.

code to be run in micropython

```

from ulab import numpy as np

a = np.array([1, 2, 3, 4])
print(np.diag(a))

```

```

array([[1.0, 0.0, 0.0, 0.0],
       [0.0, 2.0, 0.0, 0.0],

```

(continues on next page)

(continued from previous page)

```
[0.0, 0.0, 3.0, 0.0],
[0.0, 0.0, 0.0, 4.0]], dtype=float64)
```

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(16)).reshape((4, 4))
print('a: ', a)
print()
print('diagonal of a: ', np.diag(a))
```

```
a: array([[0.0, 1.0, 2.0, 3.0],
          [4.0, 5.0, 6.0, 7.0],
          [8.0, 9.0, 10.0, 11.0],
          [12.0, 13.0, 14.0, 15.0]], dtype=float64)

diagonal of a: array([0.0, 5.0, 10.0, 15.0], dtype=float64)
```

3.5 empty

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.empty.html>

empty is simply an alias for zeros, i.e., as opposed to numpy, the entries of the tensor will be initialised to zero.

3.5.1 eye

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.eye.html>

Another special array method is the eye function, whose call signature is

```
eye(N, M, k=0, dtype=float)
```

where N (M) specify the dimensions of the matrix (if only N is supplied, then we get a square matrix, otherwise one with M rows, and N columns), and k is the shift of the ones (the main diagonal corresponds to k=0). Here are a couple of examples.

With a single argument

```
# code to be run in micropython

from ulab import numpy as np

print(np.eye(5))
```

```
array([[1.0, 0.0, 0.0, 0.0, 0.0],
       [0.0, 1.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 1.0, 0.0, 0.0],
```

(continues on next page)

(continued from previous page)

```
[0.0, 0.0, 0.0, 1.0, 0.0],  
[0.0, 0.0, 0.0, 0.0, 1.0]], dtype=float64)
```

Specifying the dimensions of the matrix

```
# code to be run in micropython
```

```
from ulab import numpy as np  
  
print(np.eye(4, M=6, k=-1, dtype=np.int16))
```

```
array([[0, 0, 0, 0, 0, 0],  
       [1, 0, 0, 0, 0, 0],  
       [0, 1, 0, 0, 0, 0],  
       [0, 0, 1, 0, 0, 0]], dtype=int16)
```

```
# code to be run in micropython
```

```
from ulab import numpy as np  
  
print(np.eye(4, M=6, dtype=np.int8))
```

```
array([[1, 0, 0, 0, 0, 0],  
       [0, 1, 0, 0, 0, 0],  
       [0, 0, 1, 0, 0, 0],  
       [0, 0, 0, 1, 0, 0]], dtype=int8)
```

3.5.2 frombuffer

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.frombuffer.html>

The function interprets a contiguous buffer as a one-dimensional array, and thus can be used for piping buffered data directly into an array. This method of analysing, e.g., ADC data is much more efficient than passing the ADC buffer into the array constructor, because `frombuffer` simply creates the `ndarray` header and blindly copies the memory segment, without inspecting the underlying data.

The function takes a single positional argument, the buffer, and three keyword arguments. These are the `dtype` with a default value of `float`, the `offset`, with a default of 0, and the `count`, with a default of -1, meaning that all data are taken in.

```
# code to be run in micropython
```

```
from ulab import numpy as np  
  
buffer = b'\x01\x02\x03\x04\x05\x06\x07\x08'  
print('buffer: ', buffer)  
  
a = np.frombuffer(buffer, dtype=np.uint8)  
print('a, all data read: ', a)
```

(continues on next page)

(continued from previous page)

```
b = np.frombuffer(buffer, dtype=np.uint8, offset=2)
print('b, all data with an offset: ', b)

c = np.frombuffer(buffer, dtype=np.uint8, offset=2, count=3)
print('c, only 3 items with an offset: ', c)
```

```
buffer: b'\x01\x02\x03\x04\x05\x06\x07\x08'
a, all data read: array([1, 2, 3, 4, 5, 6, 7, 8], dtype=uint8)
b, all data with an offset: array([3, 4, 5, 6, 7, 8], dtype=uint8)
c, only 3 items with an offset: array([3, 4, 5], dtype=uint8)
```

3.5.3 full

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.full.html>

The function returns an array of arbitrary dimension, whose elements are all equal to the second positional argument. The first argument is a tuple describing the shape of the tensor. The `dtype` keyword argument with a default value of `float` can also be supplied.

```
# code to be run in micropython

from ulab import numpy as np

# create an array with the default type
print(np.full((2, 4), 3))

print('\n' + '='*20 + '\n')
# the array type is uint8 now
print(np.full((2, 4), 3, dtype=np.uint8))
```

```
array([[3.0, 3.0, 3.0, 3.0],
       [3.0, 3.0, 3.0, 3.0]], dtype=float64)

=====

array([[3, 3, 3, 3],
       [3, 3, 3, 3]], dtype=uint8)
```

3.5.4 linspace

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.linspace.html>

This function returns an array, whose elements are uniformly spaced between the `start`, and `stop` points. The number of intervals is determined by the `num` keyword argument, whose default value is 50. With the `endpoint` keyword argument (defaults to `True`) one can include `stop` in the sequence. In addition, the `dtype` keyword can be supplied to force type conversion of the output. The default is `float`. Note that, when `dtype` is of integer type, the sequence is not necessarily evenly spaced. This is not an error, rather a consequence of rounding. (This is also the `numpy` behaviour.)

```
# code to be run in micropython
```

(continues on next page)

(continued from previous page)

```

from ulab import numpy as np

# generate a sequence with defaults
print('default sequence:\t', np.linspace(0, 10))

# num=5
print('num=5:\t\t\t', np.linspace(0, 10, num=5))

# num=5, endpoint=False
print('num=5:\t\t\t', np.linspace(0, 10, num=5, endpoint=False))

# num=5, endpoint=False, dtype=uint8
print('num=5:\t\t\t', np.linspace(0, 5, num=7, endpoint=False, dtype=np.uint8))

```

```

default sequence:      array([0.0, 0.2040816326530612, 0.4081632653061225, ..., 9.
↪591836734693871, 9.795918367346932, 9.999999999999993], dtype=float64)
num=5:                  array([0.0, 2.5, 5.0, 7.5, 10.0], dtype=float64)
num=5:                  array([0.0, 2.0, 4.0, 6.0, 8.0], dtype=float64)
num=5:                  array([0, 0, 1, 2, 2, 3, 4], dtype=uint8)

```

3.5.5 logspace

'linspace' equivalent for logarithmically spaced data is `logspace`. This function produces a sequence of numbers, in which the quotient of consecutive numbers is constant. This is a geometric sequence.

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.logspace.html>

This function returns an array, whose elements are uniformly spaced between the `start`, and `stop` points. The number of intervals is determined by the `num` keyword argument, whose default value is 50. With the `endpoint` keyword argument (defaults to `True`) one can include `stop` in the sequence. In addition, the `dtype` keyword can be supplied to force type conversion of the output. The default is `float`. Note that, exactly as in `linspace`, when `dtype` is of integer type, the sequence is not necessarily evenly spaced in log space.

In addition to the keyword arguments found in `linspace`, `logspace` also accepts the `base` argument. The default value is 10.

```

# code to be run in micropython

from ulab import numpy as np

# generate a sequence with defaults
print('default sequence:\t', np.logspace(0, 3))

# num=5
print('num=5:\t\t\t', np.logspace(1, 10, num=5))

# num=5, endpoint=False
print('num=5:\t\t\t', np.logspace(1, 10, num=5, endpoint=False))

# num=5, endpoint=False
print('num=5:\t\t\t', np.logspace(1, 10, num=5, endpoint=False, base=2))

```

```

default sequence:  array([1.0, 1.151395399326447, 1.325711365590109, ..., 754.
↳ 3120063354646, 868.5113737513561, 1000.0000000000004], dtype=float64)
num=5:              array([10.0, 1778.279410038923, 316227.766016838, 56234132.
↳ 5190349, 100000000000.0], dtype=float64)
num=5:              array([10.0, 630.9573444801933, 39810.71705534974, 2511886.
↳ 431509581, 158489319.2461114], dtype=float64)
num=5:              array([2.0, 6.964404506368993, 24.25146506416637, 84.
↳ 44850628946524, 294.066778879241], dtype=float64)

```

3.5.6 ones, zeros

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.zeros.html>

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.ones.html>

A couple of special arrays and matrices can easily be initialised by calling one of the ones, or zeros functions. ones and zeros follow the same pattern, and have the call signature

```

ones(shape, dtype=float)
zeros(shape, dtype=float)

```

where shape is either an integer, or a tuple specifying the shape.

```

# code to be run in micropython

from ulab import numpy as np

print(np.ones(6, dtype=np.uint8))

print(np.zeros((6, 4)))

```

```

array([1, 1, 1, 1, 1, 1], dtype=uint8)
array([[0.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 0.0, 0.0],
       [0.0, 0.0, 0.0, 0.0]], dtype=float64)

```

When specifying the shape, make sure that the length of the tuple is not larger than the maximum dimension of your firmware.

```

# code to be run in micropython

from ulab import numpy as np
import ulab

print('maximum number of dimensions: ', ulab.__version__)

print(np.zeros((2, 2, 2)))

```

```
maximum number of dimensions: 2.1.0-2D
```

```
Traceback (most recent call last):
```

```
  File "/dev/shm/micropython.py", line 7, in <module>
TypeError: too many dimensions
```

3.6 Customising array printouts

ndarrays are pretty-printed, i.e., if the number of entries along the last axis is larger than 10 (default value), then only the first and last three entries will be printed. Also note that, as opposed to numpy, the printout always contains the dtype.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array(range(200))
```

```
print("a:\t", a)
```

```
a:  array([0.0, 1.0, 2.0, ..., 197.0, 198.0, 199.0], dtype=float64)
```

3.6.1 set_printoptions

The default values can be overwritten by means of the `set_printoptions` function `numpy.set_printoptions`, which accepts two keywords arguments, the `threshold`, and the `edgeitems`. The first of these arguments determines the length of the longest array that will be printed in full, while the second is the number of items that will be printed on the left and right hand side of the ellipsis, if the array is longer than `threshold`.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array(range(20))
```

```
print("a printed with defaults:\t", a)
```

```
np.set_printoptions(threshold=200)
```

```
print("\na printed in full:\t\t", a)
```

```
np.set_printoptions(threshold=10, edgeitems=2)
```

```
print("\na truncated with 2 edgeitems:\t", a)
```

```
a printed with defaults:  array([0.0, 1.0, 2.0, ..., 17.0, 18.0, 19.0], dtype=float64)
```

```
a printed in full:        array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.
↪ 0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0], dtype=float64)
```

```
a truncated with 2 edgeitems:  array([0.0, 1.0, ..., 18.0, 19.0], dtype=float64)
```

3.6.2 get_printoptions

The set value of the `threshold` and `edgeitems` can be retrieved by calling the `get_printoptions` function with no arguments. The function returns a *dictionary* with two keys.

```
# code to be run in micropython

from ulab import numpy as np

np.set_printoptions(threshold=100, edgeitems=20)
print(np.get_printoptions())
```

```
{'threshold': 100, 'edgeitems': 20}
```

3.7 Methods and properties of ndarrays

Arrays have several *properties* that can be queried, and some methods that can be called. With the exception of the `flatten` and `transpose` operators, properties return an object that describe some feature of the array, while the methods return a new array-like object.

1. `.byteswap`
2. `.copy`
3. `.dtype`
4. `.flat`
5. `.flatten`
6. `.itemsize`
7. `.reshape`
8. `.shape`
9. `.size`
10. `.T`
11. `.transpose`
12. `.sort`

3.7.1 .byteswap

numpy <https://numpy.org/doc/stable/reference/generated/numpy.char.chararray.byteswap.html>

The method takes a single keyword argument, `inplace`, with values `True` or `False`, and swaps the bytes in the array. If `inplace = False`, a new `ndarray` is returned, otherwise the original values are overwritten.

The `frombuffer` function is a convenient way of receiving data from peripheral devices that work with buffers. However, it is not guaranteed that the byte order (in other words, the *endianness*) of the peripheral device matches that of the microcontroller. The `.byteswap` method makes it possible to change the endianness of the incoming data stream.

Obviously, byteswapping makes sense only for those cases, when a datum occupies more than one byte, i.e., for the `uint16`, `int16`, and `float` dtypes. When `dtype` is either `uint8`, or `int8`, the method simply returns a view or copy of self, depending upon the value of `inplace`.

```
# code to be run in micropython

from ulab import numpy as np

buffer = b'\x01\x02\x03\x04\x05\x06\x07\x08'
print('buffer: ', buffer)

a = np.frombuffer(buffer, dtype=np.uint16)
print('a: ', a)
b = a.byteswap()
print('b: ', b)
```

```
buffer: b'\x01\x02\x03\x04\x05\x06\x07\x08'
a: array([513, 1027, 1541, 2055], dtype=uint16)
b: array([258, 772, 1286, 1800], dtype=uint16)
```

3.7.2 .copy

The `.copy` method creates a new *deep copy* of an array, i.e., the entries of the source array are *copied* into the target array.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
b = a.copy()
print('a: ', a)
print('='*20)
print('b: ', b)
```

```
a: array([1, 2, 3, 4], dtype=int8)
=====
b: array([1, 2, 3, 4], dtype=int8)
```

3.7.3 .dtype

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.ndarray.dtype.htm>

The `.dtype` property is the `dtype` of an array. This can then be used for initialising another array with the matching type. `ulab` implements two versions of `dtype`; one that is `numpy`-like, i.e., one, which returns a `dtype` object, and one that is significantly cheaper in terms of flash space, but does not define a `dtype` object, and holds a single character (number) instead.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
b = np.array([5, 6, 7], dtype=a.dtype)
print('a: ', a)
```

(continues on next page)

(continued from previous page)

```
print('dtype of a: ', a.dtype)
print('\nb: ', b)
```

```
a:  array([1, 2, 3, 4], dtype=int8)
dtype of a:  dtype('int8')

b:  array([5, 6, 7], dtype=int8)
```

If the `ulab.h` header file sets the pre-processor constant `ULAB_HAS_DTYPE_OBJECT` to 0 as

```
#define ULAB_HAS_DTYPE_OBJECT      (0)
```

then the output of the previous snippet will be

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
b = np.array([5, 6, 7], dtype=a.dtype)
print('a: ', a)
print('dtype of a: ', a.dtype)
print('\nb: ', b)
```

```
a:  array([1, 2, 3, 4], dtype=int8)
dtype of a:  98

b:  array([5, 6, 7], dtype=int8)
```

Here 98 is nothing but the ASCII value of the character `b`, which is the type code for signed 8-bit integers. The object definition adds around 600 bytes to the firmware.

3.7.4 .flat

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.ndarray.flat.htm>

`.flat` returns the array's flat iterator. For one-dimensional objects the flat iterator is equivalent to the standard iterator, while for higher dimensional tensors, it amounts to first flattening the array, and then iterating over it. Note, however, that the flat iterator does not consume RAM beyond what is required for holding the position of the iterator itself, while flattening produces a new copy.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
for _a in a:
    print(_a)

a = np.array([[1, 2, 3, 4], [5, 6, 7, 8]], dtype=np.int8)
print('a:\n', a)
```

(continues on next page)

(continued from previous page)

```

for _a in a:
    print(_a)

for _a in a.flat:
    print(_a)

```

```

1
2
3
4
a:
  array([[1, 2, 3, 4],
         [5, 6, 7, 8]], dtype=int8)
array([1, 2, 3, 4], dtype=int8)
array([5, 6, 7, 8], dtype=int8)
1
2
3
4
5
6
7
8

```

3.7.5 .flatten

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.ndarray.flatten.htm>

.flatten returns the flattened array. The array can be flattened in C style (i.e., moving along the last axis in the tensor), or in fortran style (i.e., moving along the first axis in the tensor).

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
print("a: \t\t", a)
print("a flattened: \t", a.flatten())

b = np.array([[1, 2, 3], [4, 5, 6]], dtype=np.int8)
print("\nb:", b)

print("b flattened (C): \t", b.flatten())
print("b flattened (F): \t", b.flatten(order='F'))

```

```

a:          array([1, 2, 3, 4], dtype=int8)
a flattened:      array([1, 2, 3, 4], dtype=int8)

b: array([[1, 2, 3],
          [4, 5, 6]], dtype=int8)

```

(continues on next page)

(continued from previous page)

```
b flattened (C):    array([1, 2, 3, 4, 5, 6], dtype=int8)
b flattened (F):    array([1, 4, 2, 5, 3, 6], dtype=int8)
```

3.7.6 .itemsize

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.ndarray.itemsize.html>

The `.itemsize` property is an integer with the size of elements in the array.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3], dtype=np.int8)
print("a:\n", a)
print("itemsize of a:", a.itemsize)

b = np.array([[1, 2], [3, 4]], dtype=np.float)
print("\nb:\n", b)
print("itemsize of b:", b.itemsize)
```

```
a:
  array([1, 2, 3], dtype=int8)
itemsize of a: 1

b:
  array([[1.0, 2.0],
         [3.0, 4.0]], dtype=float64)
itemsize of b: 8
```

3.7.7 .reshape

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.reshape.html>

`reshape` re-writes the shape properties of an `ndarray`, but the array will not be modified in any other way. The function takes a single 2-tuple with two integers as its argument. The 2-tuple should specify the desired number of rows and columns. If the new shape is not consistent with the old, a `ValueError` exception will be raised.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 2, 3, 4], [5, 6, 7, 8], [9, 10, 11, 12], [13, 14, 15, 16]], dtype=np.
  →uint8)
print('a (4 by 4):', a)
print('a (2 by 8):', a.reshape((2, 8)))
print('a (1 by 16):', a.reshape((1, 16)))
```

```
a (4 by 4): array([[1, 2, 3, 4],
                  [5, 6, 7, 8],
```

(continues on next page)

(continued from previous page)

```

    [9, 10, 11, 12],
    [13, 14, 15, 16]], dtype=uint8)
a (2 by 8): array([[1, 2, 3, 4, 5, 6, 7, 8],
    [9, 10, 11, 12, 13, 14, 15, 16]], dtype=uint8)
a (1 by 16): array([[1, 2, 3, ..., 14, 15, 16]], dtype=uint8)

```

code to be run in CPython

Note that ``ndarray.reshape()`` can also be called by assigning to ``ndarray.shape``.

3.7.8 .shape

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.ndarray.shape.html>

The `.shape` property is a tuple whose elements are the length of the array along each axis.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4], dtype=np.int8)
print("a:\n", a)
print("shape of a:", a.shape)

b = np.array([[1, 2], [3, 4]], dtype=np.int8)
print("\nb:\n", b)
print("shape of b:", b.shape)

```

```

a:
array([1, 2, 3, 4], dtype=int8)
shape of a: (4,)

b:
array([[1, 2],
       [3, 4]], dtype=int8)
shape of b: (2, 2)

```

By assigning a tuple to the `.shape` property, the array can be reshaped:

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5, 6, 7, 8, 9])
print('a:\n', a)

a.shape = (3, 3)
print('\na:\n', a)

```

```

a:
array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0], dtype=float64)

```

(continues on next page)

(continued from previous page)

```
a:
array([[1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0],
       [7.0, 8.0, 9.0]], dtype=float64)
```

3.7.9 .size

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.ndarray.size.html>

The `.size` property is an integer specifying the number of elements in the array.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3], dtype=np.int8)
print("a:\n", a)
print("size of a:", a.size)

b = np.array([[1, 2], [3, 4]], dtype=np.int8)
print("\nb:\n", b)
print("size of b:", b.size)
```

```
a:
array([1, 2, 3], dtype=int8)
size of a: 3

b:
array([[1, 2],
       [3, 4]], dtype=int8)
size of b: 4
```

`.T`

The `.T` property of the `ndarray` is equivalent to `.transpose`.

3.7.10 .tobytes

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.ndarray.tobytes.html>

The `.tobytes` method can be used for acquiring a handle of the underlying data pointer of an array, and it returns a new `bytearray` that can be fed into any method that can accept a `bytearray`, e.g., ADC data can be buffered into this `bytearray`, or the `bytearray` can be fed into a DAC. Since the `bytearray` is really nothing but the bare data container of the array, any manipulation on the `bytearray` automatically modifies the array itself.

Note that the method raises a `ValueError` exception, if the array is not dense (i.e., it has already been sliced).

```
# code to be run in micropython

from ulab import numpy as np
```

(continues on next page)

(continued from previous page)

```

a = np.array(range(8), dtype=np.uint8)
print('a: ', a)
b = a.tobytes()
print('b: ', b)

# modify b
b[0] = 13

print('='*20)
print('b: ', b)
print('a: ', a)

```

```

a:  array([0, 1, 2, 3, 4, 5, 6, 7], dtype=uint8)
b:  bytearray(b'\x00\x01\x02\x03\x04\x05\x06\x07')
=====
b:  bytearray(b'\rx01\x02\x03\x04\x05\x06\x07')
a:  array([13, 1, 2, 3, 4, 5, 6, 7], dtype=uint8)

```

3.7.11 .transpose

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.transpose.html>

Returns the transposed array. Only defined, if the number of maximum dimensions is larger than 1.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9], [10, 11, 12]], dtype=np.uint8)
print('a:\n', a)
print('shape of a:', a.shape)
a.transpose()
print('\ntranspose of a:\n', a)
print('shape of a:', a.shape)

```

```

a:
array([[1, 2, 3],
       [4, 5, 6],
       [7, 8, 9],
       [10, 11, 12]], dtype=uint8)
shape of a: (4, 3)

transpose of a:
array([[1, 4, 7, 10],
       [2, 5, 8, 11],
       [3, 6, 9, 12]], dtype=uint8)
shape of a: (3, 4)

```

The transpose of the array can also be gotten through the T property:

```

# code to be run in micropython

```

(continues on next page)

(continued from previous page)

```
from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]], dtype=np.uint8)
print('a:\n', a)
print('\ntranspose of a:\n', a.T)
```

```
a:
array([[1, 2, 3],
       [4, 5, 6],
       [7, 8, 9]], dtype=uint8)

transpose of a:
array([[1, 4, 7],
       [2, 5, 8],
       [3, 6, 9]], dtype=uint8)
```

3.7.12 .sort

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.sort.html>

In-place sorting of an ndarray. For a more detailed exposition, see *sort*.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 12, 3, 0], [5, 3, 4, 1], [9, 11, 1, 8], [7, 10, 0, 1]], dtype=np.uint8)
print('\na:\n', a)
a.sort(axis=0)
print('\na sorted along vertical axis:\n', a)

a = np.array([[1, 12, 3, 0], [5, 3, 4, 1], [9, 11, 1, 8], [7, 10, 0, 1]], dtype=np.uint8)
a.sort(axis=1)
print('\na sorted along horizontal axis:\n', a)

a = np.array([[1, 12, 3, 0], [5, 3, 4, 1], [9, 11, 1, 8], [7, 10, 0, 1]], dtype=np.uint8)
a.sort(axis=None)
print('\nflattened a sorted:\n', a)
```

```
a:
array([[1, 12, 3, 0],
       [5, 3, 4, 1],
       [9, 11, 1, 8],
       [7, 10, 0, 1]], dtype=uint8)

a sorted along vertical axis:
array([[1, 3, 0, 0],
       [5, 10, 1, 1],
       [7, 11, 3, 1],
       [9, 12, 4, 8]], dtype=uint8)
```

(continues on next page)

(continued from previous page)

```
a sorted along horizontal axis:
array([[0, 1, 3, 12],
       [1, 3, 4, 5],
       [1, 8, 9, 11],
       [0, 1, 7, 10]], dtype=uint8)

flattened a sorted:
array([0, 0, 1, ..., 10, 11, 12], dtype=uint8)
```

3.8 Unary operators

With the exception of `len`, which returns a single number, all unary operators manipulate the underlying data element-wise.

3.8.1 `len`

This operator takes a single argument, the array, and returns either the length of the first axis.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5], dtype=np.uint8)
b = np.array([range(5), range(5), range(5), range(5)], dtype=np.uint8)

print("a:\t", a)
print("length of a: ", len(a))
print("shape of a: ", a.shape)
print("\nb:\t", b)
print("length of b: ", len(b))
print("shape of b: ", b.shape)
```

```
a:  array([1, 2, 3, 4, 5], dtype=uint8)
length of a:  5
shape of a:  (5,)

b:  array([[0, 1, 2, 3, 4],
          [0, 1, 2, 3, 4],
          [0, 1, 2, 3, 4],
          [0, 1, 2, 3, 4]], dtype=uint8)
length of b:  2
shape of b:  (4, 5)
```

The number returned by `len` is also the length of the iterations, when the array supplies the elements for an iteration (see later).

3.8.2 invert

The function is defined for integer data types (uint8, int8, uint16, and int16) only, takes a single argument, and returns the element-by-element, bit-wise inverse of the array. If a float is supplied, the function raises a `ValueError` exception.

With signed integers (int8, and int16), the results might be unexpected, as in the example below:

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([0, -1, -100], dtype=np.int8)
```

```
print("a:\t\t", a)
```

```
print("inverse of a:\t", ~a)
```

```
a = np.array([0, 1, 254, 255], dtype=np.uint8)
```

```
print("\na:\t\t", a)
```

```
print("inverse of a:\t", ~a)
```

```
a:          array([0, -1, -100], dtype=int8)
inverse of a:      array([-1, 0, 99], dtype=int8)
```

```
a:          array([0, 1, 254, 255], dtype=uint8)
inverse of a:      array([255, 254, 1, 0], dtype=uint8)
```

3.8.3 abs

This function takes a single argument, and returns the element-by-element absolute value of the array. When the data type is unsigned (uint8, or uint16), a copy of the array will be returned immediately, and no calculation takes place.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([0, -1, -100], dtype=np.int8)
```

```
print("a:\t\t\t ", a)
```

```
print("absolute value of a:\t ", abs(a))
```

```
a:          array([0, -1, -100], dtype=int8)
absolute value of a:      array([0, 1, 100], dtype=int8)
```

3.8.4 neg

This operator takes a single argument, and changes the sign of each element in the array. Unsigned values are wrapped.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([10, -1, 1], dtype=np.int8)
```

(continues on next page)

(continued from previous page)

```
print("a:\t\t", a)
print("negative of a:\t", -a)

b = np.array([0, 100, 200], dtype=np.uint8)
print("\nb:\t\t", b)
print("negative of b:\t", -b)
```

```
a:          array([10, -1, 1], dtype=int8)
negative of a:      array([-10, 1, -1], dtype=int8)

b:          array([0, 100, 200], dtype=uint8)
negative of b:      array([0, 156, 56], dtype=uint8)
```

3.8.5 pos

This function takes a single argument, and simply returns a copy of the array.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([10, -1, 1], dtype=np.int8)
print("a:\t\t", a)
print("positive of a:\t", +a)
```

```
a:          array([10, -1, 1], dtype=int8)
positive of a:      array([10, -1, 1], dtype=int8)
```

3.9 Binary operators

ulab implements the `+`, `-`, `*`, `/`, `**`, `<`, `>`, `<=`, `>=`, `==`, `!=`, `+=`, `-=`, `*=`, `/=`, `**=` binary operators that work element-wise. Broadcasting is available, meaning that the two operands do not even have to have the same shape. If the lengths along the respective axes are equal, or one of them is 1, or the axis is missing, the element-wise operation can still be carried out. A thorough explanation of broadcasting can be found under <https://numpy.org/doc/stable/user/basics.broadcasting.html>.

WARNING: note that relational operators (`<`, `>`, `<=`, `>=`, `==`, `!=`) should have the `ndarray` on their left hand side, when compared to scalars. This means that the following works

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3])
print(a > 2)
```

```
array([False, False, True], dtype=bool)
```

while the equivalent statement, `2 < a`, will raise a `TypeError` exception:

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([1, 2, 3])
```

```
print(2 < a)
```

```
Traceback (most recent call last):
```

```
File "/dev/shm/micropython.py", line 5, in <module>
```

```
TypeError: unsupported types for __lt__: 'int', 'ndarray'
```

WARNING: circuitpython users should use the `equal`, and `not_equal` operators instead of `==`, and `!=`. See the section on *array comparison* for details.

3.9.1 Upcasting

Binary operations require special attention, because two arrays with different typecodes can be the operands of an operation, in which case it is not trivial, what the typecode of the result is. This decision on the result's typecode is called upcasting. Since the number of typecodes in `ulab` is significantly smaller than in `numpy`, we have to define new upcasting rules. Where possible, I followed `numpy`'s conventions.

`ulab` observes the following upcasting rules:

1. Operations on two `ndarrays` of the same `dtype` preserve their `dtype`, even when the results overflow.
2. if either of the operands is a float, the result is automatically a float
3. When one of the operands is a scalar, it will internally be turned into a single-element `ndarray` with the *smallest* possible `dtype`. Thus, e.g., if the scalar is 123, it will be converted into an array of `dtype uint8`, while -1000 will be converted into `int16`. An `mp_obj_float`, will always be promoted to `dtype float`. Other micropython types (e.g., lists, tuples, etc.) raise a `TypeError` exception.
- 4.

left hand side	right hand side	ulab result	numpy result
uint8	int8	int16	int16
uint8	int16	int16	int16
uint8	uint16	uint16	uint16
int8	int16	int16	int16
int8	uint16	uint16	int32
uint16	int16	float	int32

Note that the last two operations are promoted to `int32` in `numpy`.

WARNING: Due to the lower number of available data types, the upcasting rules of `ulab` are slightly different to those of `numpy`. Watch out for this, when porting code!

Upcasting can be seen in action in the following snippet:

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([1, 2, 3, 4], dtype=np.uint8)
```

(continues on next page)

(continued from previous page)

```

b = np.array([1, 2, 3, 4], dtype=np.int8)
print("a:\t", a)
print("b:\t", b)
print("a+b:\t", a+b)

c = np.array([1, 2, 3, 4], dtype=np.float)
print("\na:\t", a)
print("c:\t", c)
print("a*c:\t", a*c)

```

```

a:  array([1, 2, 3, 4], dtype=uint8)
b:  array([1, 2, 3, 4], dtype=int8)
a+b:      array([2, 4, 6, 8], dtype=int16)

a:  array([1, 2, 3, 4], dtype=uint8)
c:  array([1.0, 2.0, 3.0, 4.0], dtype=float64)
a*c:      array([1.0, 4.0, 9.0, 16.0], dtype=float64)

```

3.9.2 Benchmarks

The following snippet compares the performance of binary operations to a possible implementation in python. For the time measurement, we will take the following snippet from the micropython manual:

```

# code to be run in micropython

import utime

def timeit(f, *args, **kwargs):
    func_name = str(f).split(' ')[1]
    def new_func(*args, **kwargs):
        t = utime.ticks_us()
        result = f(*args, **kwargs)
        print('execution time: ', utime.ticks_diff(utime.ticks_us(), t), ' us')
        return result
    return new_func

```

```

# code to be run in micropython

from ulab import numpy as np

@timeit
def py_add(a, b):
    return [a[i]+b[i] for i in range(1000)]

@timeit
def py_multiply(a, b):
    return [a[i]*b[i] for i in range(1000)]

@timeit
def ulab_add(a, b):

```

(continues on next page)

(continued from previous page)

```

    return a + b

@timeit
def ulab_multiply(a, b):
    return a * b

a = [0.0]*1000
b = range(1000)

print('python add:')
py_add(a, b)

print('\npython multiply:')
py_multiply(a, b)

a = np.linspace(0, 10, num=1000)
b = np.ones(1000)

print('\nulab add:')
ulab_add(a, b)

print('\nulab multiply:')
ulab_multiply(a, b)

```

```

python add:
execution time: 10051 us

python multiply:
execution time: 14175 us

ulab add:
execution time: 222 us

ulab multiply:
execution time: 213 us

```

The python implementation above is not perfect, and certainly, there is much room for improvement. However, the factor of 50 difference in execution time is very spectacular. This is nothing but a consequence of the fact that the ulab functions run C code, with very little python overhead. The factor of 50 appears to be quite universal: the FFT routine obeys similar scaling (see *Speed of FFTs*), and this number came up with font rendering, too: [fast font rendering on graphical displays](#).

3.10 Comparison operators

The smaller than, greater than, smaller or equal, and greater or equal operators return a vector of Booleans indicating the positions (True), where the condition is satisfied.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([1, 2, 3, 4, 5, 6, 7, 8], dtype=np.uint8)
print(a < 5)
```

```
array([True, True, True, True, False, False, False, False], dtype=bool)
```

WARNING: at the moment, due to micropython's implementation details, the ndarray must be on the left hand side of the relational operators.

That is, while `a < 5` and `5 > a` have the same meaning, the following code will not work:

```
# code to be run in micropython
```

```
import ulab as np
```

```
a = np.array([1, 2, 3, 4, 5, 6, 7, 8], dtype=np.uint8)
print(5 > a)
```

```
Traceback (most recent call last):
```

```
File "/dev/shm/micropython.py", line 5, in <module>
TypeError: unsupported types for __gt__: 'int', 'ndarray'
```

3.11 Iterating over arrays

ndarrays are iterable, which means that their elements can also be accessed as can the elements of a list, tuple, etc. If the array is one-dimensional, the iterator returns scalars, otherwise a new reduced-dimensional *view* is created and returned.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([1, 2, 3, 4, 5], dtype=np.uint8)
b = np.array([range(5), range(10, 15, 1), range(20, 25, 1), range(30, 35, 1)], dtype=np.
    ↪uint8)
```

```
print("a:\t", a)
```

```
for i, _a in enumerate(a):
    print("element %d in a:"%i, _a)
```

```
print("\nb:\t", b)
```

(continues on next page)

(continued from previous page)

```
for i, _b in enumerate(b):
    print("element %d in b: "%i, _b)
```

```
a:  array([1, 2, 3, 4, 5], dtype=uint8)
element 0 in a: 1
element 1 in a: 2
element 2 in a: 3
element 3 in a: 4
element 4 in a: 5

b:  array([[0, 1, 2, 3, 4],
          [10, 11, 12, 13, 14],
          [20, 21, 22, 23, 24],
          [30, 31, 32, 33, 34]], dtype=uint8)
element 0 in b: array([0, 1, 2, 3, 4], dtype=uint8)
element 1 in b: array([10, 11, 12, 13, 14], dtype=uint8)
element 2 in b: array([20, 21, 22, 23, 24], dtype=uint8)
element 3 in b: array([30, 31, 32, 33, 34], dtype=uint8)
```

3.12 Slicing and indexing

3.12.1 Views vs. copies

numpy has a very important concept called *views*, which is a powerful extension of python's own notion of slicing. Slices are special python objects of the form

```
slice = start:end:stop
```

where *start*, *end*, and *stop* are (not necessarily non-negative) integers. Not all of these three numbers must be specified in an index, in fact, all three of them can be missing. The interpreter takes care of filling in the missing values. (Note that slices cannot be defined in this way, only there, where an index is expected.) For a good explanation on how slices work in python, you can read the stackoverflow question <https://stackoverflow.com/questions/509211/understanding-slice-notation>.

In order to see what slicing does, let us take the string `a = '012345679'!` We can extract every second character by creating the slice `::2`, which is equivalent to `0:len(a):2`, i.e., increments the character pointer by 2 starting from 0, and traversing the string up to the very end.

```
# code to be run in CPython
```

```
string = '0123456789'
string[::2]
```

```
'02468'
```

Now, we can do the same with numerical arrays.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

(continues on next page)

(continued from previous page)

```
a = np.array(range(10), dtype=np.uint8)
print('a:\t', a)

print('a[::2]:\t', a[::2])
```

```
a:  array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9], dtype=uint8)
a[::2]:  array([0, 2, 4, 6, 8], dtype=uint8)
```

This looks similar to `string` above, but there is a very important difference that is not so obvious. Namely, `string[::2]` produces a partial copy of `string`, while `a[::2]` only produces a *view* of `a`. What this means is that `a`, and `a[::2]` share their data, and the only difference between the two is, how the data are read out. In other words, internally, `a[::2]` has the same data pointer as `a`. We can easily convince ourselves that this is indeed the case by calling the `ndinfo` function: the *data pointer* entry is the same in the two printouts.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(10), dtype=np.uint8)
print('a: ', a, '\n')
np.ndinfo(a)
print('\n' + '='*20)
print('a[::2]: ', a[::2], '\n')
np.ndinfo(a[::2])
```

```
a:  array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9], dtype=uint8)

class: ndarray
shape: (10,)
strides: (1,)
itemsize: 1
data pointer: 0x7ff6c6193220
type: uint8

=====
a[::2]:  array([0, 2, 4, 6, 8], dtype=uint8)

class: ndarray
shape: (5,)
strides: (2,)
itemsize: 1
data pointer: 0x7ff6c6193220
type: uint8
```

If you are still a bit confused about the meaning of *views*, the section *Slicing and assigning to slices* should clarify the issue.

3.12.2 Indexing

The simplest form of indexing is specifying a single integer between the square brackets as in

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(10), dtype=np.uint8)
print("a: ", a)
print("the first, and last element of a:\n", a[0], a[-1])
print("the second, and last but one element of a:\n", a[1], a[-2])
```

```
a:  array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9], dtype=uint8)
the first, and last element of a:
  0 9
the second, and last but one element of a:
  1 8
```

Indexing can be applied to higher-dimensional tensors, too. When the length of the indexing sequences is smaller than the number of dimensions, a new *view* is returned, otherwise, we get a single number.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(9), dtype=np.uint8).reshape((3, 3))
print("a:\n", a)
print("a[0]:\n", a[0])
print("a[1,1]: ", a[1,1])
```

```
a:
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]], dtype=uint8)
a[0]:
array([[0, 1, 2]], dtype=uint8)
a[1,1]:  4
```

Indices can also be a list of Booleans. By using a Boolean list, we can select those elements of an array that satisfy a specific condition. At the moment, such indexing is defined for row vectors only; when the rank of the tensor is higher than 1, the function raises a `NotImplementedError` exception, though this will be rectified in a future version of `ulab`.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(9), dtype=np.float)
print("a:\t", a)
print("a < 5:\t", a[a < 5])
```



```
a:  array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float)
a < 5:      array([0.0, 1.0, 2.0, 3.0, 4.0], dtype=float)
```

Indexing with Boolean arrays can take more complicated expressions. This is a very concise way of comparing two vectors, e.g.:

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array(range(9), dtype=np.uint8)
b = np.array([4, 4, 4, 3, 3, 3, 13, 13, 13], dtype=np.uint8)
print("a:\t", a)
print("\na**2:\t", a*a)
print("\nb:\t", b)
print("\n100*sin(b):\t", np.sin(b)*100.0)
print("\na[a*a > np.sin(b)*100.0]:\t", a[a*a > np.sin(b)*100.0])
```

```
a:  array([0, 1, 2, 3, 4, 5, 6, 7, 8], dtype=uint8)

a**2:      array([0, 1, 4, 9, 16, 25, 36, 49, 64], dtype=uint16)

b:  array([4, 4, 4, 3, 3, 3, 13, 13, 13], dtype=uint8)

100*sin(b): array([-75.68024953079282, -75.68024953079282, -75.68024953079282, 14.
→11200080598672, 14.11200080598672, 14.11200080598672, 42.01670368266409, 42.
→01670368266409, 42.01670368266409], dtype=float)

a[a*a > np.sin(b)*100.0]:  array([0, 1, 2, 4, 5, 7, 8], dtype=uint8)
```

Boolean indices can also be used in assignments, if the array is one-dimensional. The following example replaces the data in an array, wherever some condition is fulfilled.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array(range(9), dtype=np.uint8)
b = np.array(range(9)) + 12

print(a[b < 15])

a[b < 15] = 123
print(a)
```

```
array([0, 1, 2], dtype=uint8)
array([123, 123, 123, 3, 4, 5, 6, 7, 8], dtype=uint8)
```

On the right hand side of the assignment we can even have another array.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

(continues on next page)

(continued from previous page)

```

a = np.array(range(9), dtype=np.uint8)
b = np.array(range(9)) + 12

print(a[b < 15], b[b < 15])

a[b < 15] = b[b < 15]
print(a)

```

```

array([0, 1, 2], dtype=uint8) array([12.0, 13.0, 14.0], dtype=float)
array([12, 13, 14, 3, 4, 5, 6, 7, 8], dtype=uint8)

```

3.12.3 Slicing and assigning to slices

You can also generate sub-arrays by specifying slices as the index of an array. Slices are special python objects of the form

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]], dtype=np.uint8)
print('a:\n', a)

# the first row
print('\na[0]:\n', a[0])

# the first two elements of the first row
print('\na[0,:2]:\n', a[0,:2])

# the zeroth element in each row (also known as the zeroth column)
print('\na[:,0]:\n', a[:,0])

# the last row
print('\na[-1]:\n', a[-1])

# the last two rows backwards
print('\na[-1:-3:-1]:\n', a[-1:-3:-1])

```

```

a:
array([[1, 2, 3],
       [4, 5, 6],
       [7, 8, 9]], dtype=uint8)

a[0]:
array([[1, 2, 3]], dtype=uint8)

a[0,:2]:
array([[1, 2]], dtype=uint8)

```

(continues on next page)

(continued from previous page)

```

a[:,0]:
array([[1],
       [4],
       [7]], dtype=uint8)

a[-1]:
array([[7, 8, 9]], dtype=uint8)

a[-1:-3:-1]:
array([[7, 8, 9],
       [4, 5, 6]], dtype=uint8)

```

Assignment to slices can be done for the whole slice, per row, and per column. A couple of examples should make these statements clearer:

```

# code to be run in micropython

from ulab import numpy as np

a = np.zeros((3, 3), dtype=np.uint8)
print('a:\n', a)

# assigning to the whole row
a[0] = 1
print('\na[0] = 1\n', a)

a = np.zeros((3, 3), dtype=np.uint8)

# assigning to a column
a[:,2] = 3.0
print('\na[:,0]:\n', a)

```

```

a:
array([[0, 0, 0],
       [0, 0, 0],
       [0, 0, 0]], dtype=uint8)

a[0] = 1
array([[1, 1, 1],
       [0, 0, 0],
       [0, 0, 0]], dtype=uint8)

a[:,0]:
array([[0, 0, 3],
       [0, 0, 3],
       [0, 0, 3]], dtype=uint8)

```

Now, you should notice that we re-set the array `a` after the first assignment. Do you care to see what happens, if we do not do that? Well, here are the results:

```

# code to be run in micropython

```

(continues on next page)

(continued from previous page)

```

from ulab import numpy as np

a = np.zeros((3, 3), dtype=np.uint8)
b = a[:, :]
# assign 1 to the first row
b[0] = 1

# assigning to the last column
b[:, 2] = 3
print('a: ', a)

```

```

a:  array([[1, 1, 3],
          [0, 0, 3],
          [0, 0, 3]], dtype=uint8)

```

Note that both assignments involved `b`, and not `a`, yet, when we print out `a`, its entries are updated. This proves our earlier statement about the behaviour of *views*: in the statement `b = a[:, :]` we simply created a *view* of `a`, and not a *deep* copy of it, meaning that whenever we modify `b`, we actually modify `a`, because the underlying data container of `a` and `b` are shared between the two object. Having a single data container for two seemingly different objects provides an extremely powerful way of manipulating sub-sets of numerical data.

If you want to work on a *copy* of your data, you can use the `.copy` method of the `ndarray`. The following snippet should drive the point home:

```

# code to be run in micropython

from ulab import numpy as np

a = np.zeros((3, 3), dtype=np.uint8)
b = a.copy()

# get the address of the underlying data pointer

np.ndinfo(a)
print()
np.ndinfo(b)

# assign 1 to the first row of b, and do not touch a
b[0] = 1

print()
print('a: ', a)
print('='*20)
print('b: ', b)

```

```

class: ndarray
shape: (3, 3)
strides: (3, 1)
itemsize: 1
data pointer: 0x7ff737ea3220
type: uint8

```

(continues on next page)

(continued from previous page)

```

class: ndarray
shape: (3, 3)
strides: (3, 1)
itemsize: 1
data pointer: 0x7ff737ea3340
type: uint8

a:  array([[0, 0, 0],
          [0, 0, 0],
          [0, 0, 0]], dtype=uint8)
=====
b:  array([[1, 1, 1],
          [0, 0, 0],
          [0, 0, 0]], dtype=uint8)

```

The `.copy` method can also be applied to views: below, `a[0]` is a *view* of `a`, out of which we create a *deep copy* called `b`. This is a row vector now. We can then do whatever we want to with `b`, and that leaves `a` unchanged.

```

# code to be run in micropython

from ulab import numpy as np

a = np.zeros((3, 3), dtype=np.uint8)
b = a[0].copy()
print('b: ', b)
print('='*20)
# assign 1 to the first entry of b, and do not touch a
b[0] = 1
print('a: ', a)
print('='*20)
print('b: ', b)

```

```

b:  array([0, 0, 0], dtype=uint8)
=====
a:  array([[0, 0, 0],
          [0, 0, 0],
          [0, 0, 0]], dtype=uint8)
=====
b:  array([1, 0, 0], dtype=uint8)

```

The fact that the underlying data of a view is the same as that of the original array has another important consequence, namely, that the creation of a view is cheap. Both in terms of RAM, and execution time. A view is really nothing but a short header with a data array that already exists, and is filled up. Hence, creating the view requires only the creation of its header. This operation is fast, and uses virtually no RAM.

NUMPY FUNCTIONS

This section of the manual discusses those functions that were adapted from `numpy`.

1. `numpy.all`
2. `numpy.any`
3. `numpy.argmax`
4. `numpy.argmin`
5. `numpy.argsort`
6. `numpy.clip`
7. `numpy.convolve`
8. `numpy.diff`
9. `numpy.dot`
10. `numpy.equal`
11. `numpy.flip`
12. `numpy.interp`
13. `numpy.isfinite`
14. `numpy.isinf`
15. `numpy.max`
16. `numpy.maximum`
17. `numpy.mean`
18. `numpy.median`
19. `numpy.min`
20. `numpy.minimum`
21. `numpy.not_equal`
22. `numpy.polyfit`
23. `numpy.polyval`
24. `numpy.roll`
25. `numpy.sort`
26. `numpy.std`

- 27. `numpy.sum`
- 28. `numpy.trace`
- 29. `numpy.trapz`
- 30. `numpy.where`

4.1 all

`numpy`: <https://numpy.org/doc/stable/reference/generated/numpy.all.html>

The function takes one positional, and one keyword argument, the `axis`, with a default value of `None`, and tests, whether *all* array elements along the given axis evaluate to `True`. If the keyword argument is `None`, the flattened array is inspected.

Elements of an array evaluate to `True`, if they are not equal to zero, or the Boolean `False`. The return value is a Boolean `ndarray`.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(12)).reshape((3, 4))

print('\na:\n', a)

b = np.all(a)
print('\nall of the flattened array:\n', b)

c = np.all(a, axis=0)
print('\nall of a along 0th axis:\n', c)

d = np.all(a, axis=1)
print('\nall of a along 1st axis:\n', d)
```

```
a:
array([[0.0, 1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0, 7.0],
       [8.0, 9.0, 10.0, 11.0]], dtype=float64)

all of the flattened array:
False

all of a along 0th axis:
array([False,  True,  True,  True], dtype=bool)

all of a along 1st axis:
array([False,  True,  True], dtype=bool)
```

4.2 any

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.any.html>

The function takes one positional, and one keyword argument, the `axis`, with a default value of `None`, and tests, whether *any* array element along the given axis evaluates to `True`. If the keyword argument is `None`, the flattened array is inspected.

Elements of an array evaluate to `True`, if they are not equal to zero, or the Boolean `False`. The return value is a Boolean ndarray.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(12)).reshape((3, 4))

print('\na:\n', a)

b = np.any(a)
print('\nany of the flattened array:\n', b)

c = np.any(a, axis=0)
print('\nany of a along 0th axis:\n', c)

d = np.any(a, axis=1)
print('\nany of a along 1st axis:\n', d)
```

```
a:
array([[0.0, 1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0, 7.0],
       [8.0, 9.0, 10.0, 11.0]], dtype=float64)

any of the flattened array:
True

any of a along 0th axis:
array([True, True, True, True], dtype=bool)

any of a along 1st axis:
array([True, True, True], dtype=bool)
```

4.3 argmax

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.argmax.html>

See `numpy.max`.

4.4 argmin

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.argmin.html>

See `numpy.max`.

4.5 argsort

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.argsort.html>

Similarly to `sort`, `argsort` takes a positional, and a keyword argument, and returns an unsigned short index array of type `ndarray` with the same dimensions as the input, or, if `axis=None`, as a row vector with length equal to the number of elements in the input (i.e., the flattened array). The indices in the output sort the input in ascending order. The routine in `argsort` is the same as in `sort`, therefore, the comments on computational expenses (time and RAM) also apply. In particular, since no copy of the original data is required, virtually no RAM beyond the output array is used.

Since the underlying container of the output array is of type `uint16_t`, neither of the output dimensions should be larger than 65535. If that happens to be the case, the function will bail out with a `ValueError`.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
a = np.array([[1, 12, 3, 0], [5, 3, 4, 1], [9, 11, 1, 8], [7, 10, 0, 1]], dtype=np.float)
```

```
print('\na:\n', a)
```

```
b = np.argsort(a, axis=0)
```

```
print('\na sorted along vertical axis:\n', b)
```

```
c = np.argsort(a, axis=1)
```

```
print('\na sorted along horizontal axis:\n', c)
```

```
c = np.argsort(a, axis=None)
```

```
print('\nflattened a sorted:\n', c)
```

```
a:
```

```
array([[1.0, 12.0, 3.0, 0.0],
       [5.0, 3.0, 4.0, 1.0],
       [9.0, 11.0, 1.0, 8.0],
       [7.0, 10.0, 0.0, 1.0]], dtype=float64)
```

```
a sorted along vertical axis:
```

```
array([[0, 1, 3, 0],
       [1, 3, 2, 1],
       [3, 2, 0, 3],
       [2, 0, 1, 2]], dtype=uint16)
```

```
a sorted along horizontal axis:
```

```
array([[3, 0, 2, 1],
       [3, 1, 2, 0],
       [2, 3, 0, 1],
       [2, 3, 0, 1]], dtype=uint16)
```

(continues on next page)

(continued from previous page)

```
Traceback (most recent call last):
  File "/dev/shm/micropython.py", line 12, in <module>
NotImplementedError: argsort is not implemented for flattened arrays
```

Since during the sorting, only the indices are shuffled, argsort does not modify the input array, as one can verify this by the following example:

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([0, 5, 1, 3, 2, 4], dtype=np.uint8)
print('\na:\n', a)
b = np.argsort(a, axis=0)
print('\nsorting indices:\n', b)
print('\nthe original array:\n', a)
```

```
a:
array([0, 5, 1, 3, 2, 4], dtype=uint8)

sorting indices:
array([0, 2, 4, 3, 5, 1], dtype=uint16)

the original array:
array([0, 5, 1, 3, 2, 4], dtype=uint8)
```

4.6 clip

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.clip.html>

Clips an array, i.e., values that are outside of an interval are clipped to the interval edges. The function is equivalent to `maximum(a_min, minimum(a, a_max))` broadcasting takes place exactly as in *minimum*. If the arrays are of different dtype, the output is upcast as in *Binary operators*.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(9), dtype=np.uint8)
print('a:\t\t', a)
print('clipped:\t', np.clip(a, 3, 7))

b = 3 * np.ones(len(a), dtype=np.float)
print('\na:\t\t\t', a)
print('b:\t\t\t', b)
print('clipped:\t', np.clip(a, b, 7))
```

```
a:          array([0, 1, 2, 3, 4, 5, 6, 7, 8], dtype=uint8)
clipped:    array([3, 3, 3, 3, 4, 5, 6, 7, 7], dtype=uint8)
```

(continues on next page)

(continued from previous page)

```

a:          array([0, 1, 2, 3, 4, 5, 6, 7, 8], dtype=uint8)
b:          array([3.0, 3.0, 3.0, 3.0, 3.0, 3.0, 3.0, 3.0, 3.0], dtype=float64)
clipped:     array([3.0, 3.0, 3.0, 3.0, 4.0, 5.0, 6.0, 7.0, 7.0], dtype=float64)

```

4.7 convolve

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.convolve.html>

Returns the discrete, linear convolution of two one-dimensional arrays.

Only the `full` mode is supported, and the `mode` named parameter is not accepted. Note that all other modes can be had by slicing a `full` result.

```

# code to be run in micropython

from ulab import numpy as np

x = np.array((1, 2, 3))
y = np.array((1, 10, 100, 1000))

print(np.convolve(x, y))

```

```
array([1.0, 12.0, 123.0, 1230.0, 2300.0, 3000.0], dtype=float64)
```

4.8 diff

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.diff.html>

The `diff` function returns the numerical derivative of the forward scheme, or more accurately, the differences of an `ndarray` along a given axis. The order of derivative can be stipulated with the `n` keyword argument, which should be between 0, and 9. Default is 1. If higher order derivatives are required, they can be gotten by repeated calls to the function. The `axis` keyword argument should be -1 (last axis, in `ulab` equivalent to the second axis, and this also happens to be the default value), 0, or 1.

Beyond the output array, the function requires only a couple of bytes of extra RAM for the differentiation stencil. (The stencil is an `int8` array, one byte longer than `n`. This also explains, why the highest order is 9: the coefficients of a ninth-order stencil all fit in signed bytes, while 10 would require `int16`.) Note that as usual in numerical differentiation (and also in `numpy`), the length of the respective axis will be reduced by `n` after the operation. If `n` is larger than, or equal to the length of the axis, an empty array will be returned.

WARNING: the `diff` function does not implement the `prepend` and `append` keywords that can be found in `numpy`.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array(range(9), dtype=np.uint8)
a[3] = 10
print('a:\n', a)

```

(continues on next page)

(continued from previous page)

```

print('\nfirst derivative:\n', np.diff(a, n=1))
print('\nsecond derivative:\n', np.diff(a, n=2))

c = np.array([[1, 2, 3, 4], [4, 3, 2, 1], [1, 4, 9, 16], [0, 0, 0, 0]])
print('\nc:\n', c)
print('\nfirst derivative, first axis:\n', np.diff(c, axis=0))
print('\nfirst derivative, second axis:\n', np.diff(c, axis=1))

```

```

a:
array([0, 1, 2, 10, 4, 5, 6, 7, 8], dtype=uint8)

first derivative:
array([1, 1, 8, 250, 1, 1, 1, 1], dtype=uint8)

second derivative:
array([0, 249, 14, 249, 0, 0, 0], dtype=uint8)

c:
array([[1.0, 2.0, 3.0, 4.0],
       [4.0, 3.0, 2.0, 1.0],
       [1.0, 4.0, 9.0, 16.0],
       [0.0, 0.0, 0.0, 0.0]], dtype=float64)

first derivative, first axis:
array([[3.0, 1.0, -1.0, -3.0],
       [-3.0, 1.0, 7.0, 15.0],
       [-1.0, -4.0, -9.0, -16.0]], dtype=float64)

first derivative, second axis:
array([[1.0, 1.0, 1.0],
       [-1.0, -1.0, -1.0],
       [3.0, 5.0, 7.0],
       [0.0, 0.0, 0.0]], dtype=float64)

```

4.9 dot

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.dot.html>

WARNING: numpy applies upcasting rules for the multiplication of matrices, while `ulab` simply returns a float matrix.

Once you can invert a matrix, you might want to know, whether the inversion is correct. You can simply take the original matrix and its inverse, and multiply them by calling the `dot` function, which takes the two matrices as its arguments. If the matrix dimensions do not match, the function raises a `ValueError`. The result of the multiplication is expected to be the unit matrix, which is demonstrated below.

```

# code to be run in micropython

from ulab import numpy as np

m = np.array([[1, 2, 3], [4, 5, 6], [7, 10, 9]], dtype=np.uint8)

```

(continues on next page)

(continued from previous page)

```
n = np.linalg.inv(m)
print("m:\n", m)
print("\nm^-1:\n", n)
# this should be the unit matrix
print("\nm*m^-1:\n", np.dot(m, n))
```

```
m:
array([[1, 2, 3],
       [4, 5, 6],
       [7, 10, 9]], dtype=uint8)

m^-1:
array([[-1.25, 1.0, -0.25],
       [0.4999999999999998, -1.0, 0.5],
       [0.4166666666666668, 0.3333333333333333, -0.25]], dtype=float64)

m*m^-1:
array([[1.0, 0.0, 0.0],
       [4.440892098500626e-16, 1.0, 0.0],
       [8.881784197001252e-16, 0.0, 1.0]], dtype=float64)
```

Note that for matrix multiplication you don't necessarily need square matrices, it is enough, if their dimensions are compatible (i.e., the the left-hand-side matrix has as many columns, as does the right-hand-side matrix rows):

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
m = np.array([[1, 2, 3, 4], [5, 6, 7, 8]], dtype=np.uint8)
n = np.array([[1, 2], [3, 4], [5, 6], [7, 8]], dtype=np.uint8)
print(m)
print(n)
print(np.dot(m, n))
```

```
array([[1, 2, 3, 4],
       [5, 6, 7, 8]], dtype=uint8)
array([[1, 2],
       [3, 4],
       [5, 6],
       [7, 8]], dtype=uint8)
array([[50.0, 60.0],
       [114.0, 140.0]], dtype=float64)
```

4.10 equal

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.equal.html>

numpy: https://numpy.org/doc/stable/reference/generated/numpy.not_equal.html

In micropython, equality of arrays or scalars can be established by utilising the `==`, `!=`, `<`, `>`, `<=`, or `>=` binary operators. In circuitpython, `==` and `!=` will produce unexpected results. In order to avoid this discrepancy, and to maintain compatibility with numpy, ulab implements the `equal` and `not_equal` operators that return the same results, irrespective of the python implementation.

These two functions take two ndarrays, or scalars as their arguments. No keyword arguments are implemented.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array(range(9))
b = np.zeros(9)

print('a: ', a)
print('b: ', b)
print('\na == b: ', np.equal(a, b))
print('a != b: ', np.not_equal(a, b))

# comparison with scalars
print('a == 2: ', np.equal(a, 2))
```

```
a: array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
b: array([0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0], dtype=float64)

a == b: array([True, False, False, False, False, False, False, False, False],
↳dtype=bool)
a != b: array([False, True, True, True, True, True, True, True, True], dtype=bool)
a == 2: array([False, False, True, False, False, False, False, False, False],
↳dtype=bool)
```

4.11 flip

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.flip.html>

The `flip` function takes one positional, an ndarray, and one keyword argument, `axis = None`, and reverses the order of elements along the given axis. If the keyword argument is `None`, the matrix' entries are flipped along all axes. `flip` returns a new copy of the array.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5])
print("a: \t", a)
print("a flipped:\t", np.flip(a))
```

(continues on next page)

(continued from previous page)

```
a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]], dtype=np.uint8)
print("\na flipped horizontally\n", np.flip(a, axis=1))
print("\na flipped vertically\n", np.flip(a, axis=0))
print("\na flipped horizontally+vertically\n", np.flip(a))
```

```
a:      array([1.0, 2.0, 3.0, 4.0, 5.0], dtype=float64)
a flipped:  array([5.0, 4.0, 3.0, 2.0, 1.0], dtype=float64)

a flipped horizontally
array([[3, 2, 1],
       [6, 5, 4],
       [9, 8, 7]], dtype=uint8)

a flipped vertically
array([[7, 8, 9],
       [4, 5, 6],
       [1, 2, 3]], dtype=uint8)

a flipped horizontally+vertically
array([9, 8, 7, 6, 5, 4, 3, 2, 1], dtype=uint8)
```

4.12 interp

numpy: <https://docs.scipy.org/doc/numpy/numpy.interp>

The `interp` function returns the linearly interpolated values of a one-dimensional numerical array. It requires three positional arguments, `x`, at which the interpolated values are evaluated, `xp`, the array of the independent data variable, and `fp`, the array of the dependent values of the data. `xp` must be a monotonically increasing sequence of numbers.

Two keyword arguments, `left`, and `right` can also be supplied; these determine the return values, if `x < xp[0]`, and `x > xp[-1]`, respectively. If these arguments are not supplied, `left`, and `right` default to `fp[0]`, and `fp[-1]`, respectively.

```
# code to be run in micropython

from ulab import numpy as np

x = np.array([1, 2, 3, 4, 5]) - 0.2
xp = np.array([1, 2, 3, 4])
fp = np.array([1, 2, 3, 5])

print(x)
print(np.interp(x, xp, fp))
print(np.interp(x, xp, fp, left=0.0))
print(np.interp(x, xp, fp, right=10.0))
```

```
array([0.8, 1.8, 2.8, 3.8, 4.8], dtype=float64)
array([1.0, 1.8, 2.8, 4.6, 5.0], dtype=float64)
array([0.0, 1.8, 2.8, 4.6, 5.0], dtype=float64)
array([1.0, 1.8, 2.8, 4.6, 10.0], dtype=float64)
```

4.13 isfinite

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.isfinite.html>

Returns a Boolean array of the same shape as the input, or a True/False, if the input is a scalar. In the return value, all elements are True at positions, where the input value was finite. Integer types are automatically finite, therefore, if the input is of integer type, the output will be the True tensor.

```
# code to be run in micropython

from ulab import numpy as np

print('isfinite(0): ', np.isfinite(0))

a = np.array([1, 2, np.nan])
print('\n' + '='*20)
print('a:\n', a)
print('\nisfinite(a):\n', np.isfinite(a))

b = np.array([1, 2, np.inf])
print('\n' + '='*20)
print('b:\n', b)
print('\nisfinite(b):\n', np.isfinite(b))

c = np.array([1, 2, 3], dtype=np.uint16)
print('\n' + '='*20)
print('c:\n', c)
print('\nisfinite(c):\n', np.isfinite(c))
```

```
isfinite(0):  True

=====
a:
array([1.0, 2.0, nan], dtype=float64)

isfinite(a):
array([True, True, False], dtype=bool)

=====
b:
array([1.0, 2.0, inf], dtype=float64)

isfinite(b):
array([True, True, False], dtype=bool)

=====
c:
array([1, 2, 3], dtype=uint16)

isfinite(c):
array([True, True, True], dtype=bool)
```


4.14 isinf

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.isinf.html>

Similar to *isfinite*, but the output is True at positions, where the input is infinite. Integer types return the False tensor.

```
# code to be run in micropython

from ulab import numpy as np

print('isinf(0): ', np.isinf(0))

a = np.array([1, 2, np.nan])
print('\n' + '='*20)
print('a:\n', a)
print('\nisinf(a):\n', np.isinf(a))

b = np.array([1, 2, np.inf])
print('\n' + '='*20)
print('b:\n', b)
print('\nisinf(b):\n', np.isinf(b))

c = np.array([1, 2, 3], dtype=np.uint16)
print('\n' + '='*20)
print('c:\n', c)
print('\nisinf(c):\n', np.isinf(c))
```

```
isinf(0):  False

=====
a:
array([1.0, 2.0, nan], dtype=float64)

isinf(a):
array([False, False, False], dtype=bool)

=====
b:
array([1.0, 2.0, inf], dtype=float64)

isinf(b):
array([False, False, True], dtype=bool)

=====
c:
array([1, 2, 3], dtype=uint16)

isinf(c):
array([False, False, False], dtype=bool)
```

4.15 mean

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.mean.html>

If the axis keyword is not specified, it assumes the default value of `None`, and returns the result of the computation for the flattened array. Otherwise, the calculation is along the given axis.

code to be run in micropython

```
from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
print('a: \n', a)
print('mean, flat: ', np.mean(a))
print('mean, horizontal: ', np.mean(a, axis=1))
print('mean, vertical: ', np.mean(a, axis=0))
```

```
a:
array([[1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0],
       [7.0, 8.0, 9.0]], dtype=float64)
mean, flat: 5.0
mean, horizontal: array([2.0, 5.0, 8.0], dtype=float64)
mean, vertical: array([4.0, 5.0, 6.0], dtype=float64)
```

4.16 max

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.max.html>

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.argmax.html>

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.min.html>

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.argmin.html>

WARNING: Difference to numpy: the `out` keyword argument is not implemented.

These functions follow the same pattern, and work with generic iterables, and `ndarrays`. `min`, and `max` return the minimum or maximum of a sequence. If the input array is two-dimensional, the `axis` keyword argument can be supplied, in which case the minimum/maximum along the given axis will be returned. If `axis=None` (this is also the default value), the minimum/maximum of the flattened array will be determined.

`argmin/argmax` return the position (index) of the minimum/maximum in the sequence.

code to be run in micropython

```
from ulab import numpy as np

a = np.array([1, 2, 0, 1, 10])
print('a:', a)
print('min of a:', np.min(a))
print('argmin of a:', np.argmin(a))

b = np.array([[1, 2, 0], [1, 10, -1]])
```

(continues on next page)

(continued from previous page)

```
print('\nb:\n', b)
print('min of b (flattened):', np.min(b))
print('min of b (axis=0):', np.min(b, axis=0))
print('min of b (axis=1):', np.min(b, axis=1))
```

```
a: array([1.0, 2.0, 0.0, 1.0, 10.0], dtype=float64)
min of a: 0.0
argmin of a: 2

b:
array([[1.0, 2.0, 0.0],
       [1.0, 10.0, -1.0]], dtype=float64)
min of b (flattened): -1.0
min of b (axis=0): array([1.0, 2.0, -1.0], dtype=float64)
min of b (axis=1): array([0.0, -1.0], dtype=float64)
```

4.17 median

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.median.html>

The function computes the median along the specified axis, and returns the median of the array elements. If the `axis` keyword argument is `None`, the array is flattened first. The `dtype` of the results is always `float`.

code to be run in micropython

```
from ulab import numpy as np

a = np.array(range(12), dtype=np.int8).reshape((3, 4))
print('a:\n', a)
print('\nmedian of the flattened array: ', np.median(a))
print('\nmedian along the vertical axis: ', np.median(a, axis=0))
print('\nmedian along the horizontal axis: ', np.median(a, axis=1))
```

```
a:
array([[0, 1, 2, 3],
       [4, 5, 6, 7],
       [8, 9, 10, 11]], dtype=int8)

median of the flattened array: 5.5

median along the vertical axis: array([4.0, 5.0, 6.0, 7.0], dtype=float64)

median along the horizontal axis: array([1.5, 5.5, 9.5], dtype=float64)
```

4.18 min

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.min.html>

See *numpy.max*.

4.19 minimum

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.minimum.html>

See *numpy.maximum*

4.20 maximum

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.maximum.html>

Returns the maximum of two arrays, or two scalars, or an array, and a scalar. If the arrays are of different *dtype*, the output is upcast as in *Binary operators*. If both inputs are scalars, a scalar is returned. Only positional arguments are implemented.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5], dtype=np.uint8)
b = np.array([5, 4, 3, 2, 1], dtype=np.float)
print('minimum of a, and b:')
print(np.minimum(a, b))

print('\nmaximum of a, and b:')
print(np.maximum(a, b))

print('\nmaximum of 1, and 5.5:')
print(np.maximum(1, 5.5))
```

```
minimum of a, and b:
array([1.0, 2.0, 3.0, 2.0, 1.0], dtype=float64)

maximum of a, and b:
array([5.0, 4.0, 3.0, 4.0, 5.0], dtype=float64)

maximum of 1, and 5.5:
5.5
```

4.21 not_equal

See `numpy.equal`.

4.22 polyfit

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.polyfit.html>

`polyfit` takes two, or three arguments. The last one is the degree of the polynomial that will be fitted, the last but one is an array or iterable with the `y` (dependent) values, and the first one, an array or iterable with the `x` (independent) values, can be dropped. If that is the case, `x` will be generated in the function as `range(len(y))`.

If the lengths of `x`, and `y` are not the same, the function raises a `ValueError`.

```
# code to be run in micropython

from ulab import numpy as np

x = np.array([0, 1, 2, 3, 4, 5, 6])
y = np.array([9, 4, 1, 0, 1, 4, 9])
print('independent values:\t', x)
print('dependent values:\t', y)
print('fitted values:\t\t', np.polyfit(x, y, 2))

# the same with missing x
print('\ndependent values:\t', y)
print('fitted values:\t\t', np.polyfit(y, 2))
```

```
independent values:  array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0], dtype=float64)
dependent values:   array([9.0, 4.0, 1.0, 0.0, 1.0, 4.0, 9.0], dtype=float64)
fitted values:      array([1.0, -6.0, 9.0000000000000004], dtype=float64)

dependent values:   array([9.0, 4.0, 1.0, 0.0, 1.0, 4.0, 9.0], dtype=float64)
fitted values:      array([1.0, -6.0, 9.0000000000000004], dtype=float64)
```

4.22.1 Execution time

`polyfit` is based on the inversion of a matrix (there is more on the background in https://en.wikipedia.org/wiki/Polynomial_regression), and it requires the intermediate storage of $2 \cdot N \cdot (\text{deg} + 1)$ floats, where `N` is the number of entries in the input array, and `deg` is the fit's degree. The additional computation costs of the matrix inversion discussed in *linalg.inv* also apply. The example from above needs around 150 microseconds to return:

```
# code to be run in micropython

from ulab import numpy as np

@timeit
def time_polyfit(x, y, n):
    return np.polyfit(x, y, n)

x = np.array([0, 1, 2, 3, 4, 5, 6])
```

(continues on next page)

(continued from previous page)

```
y = np.array([9, 4, 1, 0, 1, 4, 9])
time_polyfit(x, y, 2)
```

```
execution time: 153 us
```

4.23 polyval

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.polyval.html>

polyval takes two arguments, both arrays or generic micropython iterables returning scalars.

```
# code to be run in micropython

from ulab import numpy as np

p = [1, 1, 1, 0]
x = [0, 1, 2, 3, 4]
print('coefficients: ', p)
print('independent values: ', x)
print('\nvalues of p(x): ', np.polyval(p, x))

# the same works with one-dimensional ndarrays
a = np.array(x)
print('\nndarray (a): ', a)
print('value of p(a): ', np.polyval(p, a))
```

```
coefficients: [1, 1, 1, 0]
independent values: [0, 1, 2, 3, 4]

values of p(x): array([0.0, 3.0, 14.0, 39.0, 84.0], dtype=float64)

ndarray (a): array([0.0, 1.0, 2.0, 3.0, 4.0], dtype=float64)
value of p(a): array([0.0, 3.0, 14.0, 39.0, 84.0], dtype=float64)
```

4.24 roll

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.roll.html>

The roll function shifts the content of a vector by the positions given as the second argument. If the axis keyword is supplied, the shift is applied to the given axis.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5, 6, 7, 8])
print("a:\t\t\t", a)
```

(continues on next page)

(continued from previous page)

```

a = np.roll(a, 2)
print("a rolled to the left:\t", a)

# this should be the original vector
a = np.roll(a, -2)
print("a rolled to the right:\t", a)

```

```

a:          array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
a rolled to the left:      array([7.0, 8.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0],
dtype=float64)
a rolled to the right:     array([1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0],
dtype=float64)

```

Rolling works with matrices, too. If the `axis` keyword is 0, the matrix is rolled along its vertical axis, otherwise, horizontally.

Horizontal rolls are faster, because they require fewer steps, and larger memory chunks are copied, however, they also require more RAM: basically the whole row must be stored internally. Most expensive are the `None` keyword values, because with `axis = None`, the array is flattened first, hence the row's length is the size of the whole matrix.

Vertical rolls require two internal copies of single columns.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array(range(12)).reshape((3, 4))
print("a:\n", a)
a = np.roll(a, 2, axis=0)
print("\na rolled up:\n", a)

a = np.array(range(12)).reshape((3, 4))
print("a:\n", a)
a = np.roll(a, -1, axis=1)
print("\na rolled to the left:\n", a)

a = np.array(range(12)).reshape((3, 4))
print("a:\n", a)
a = np.roll(a, 1, axis=None)
print("\na rolled with None:\n", a)

```

```

a:
array([[0.0, 1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0, 7.0],
       [8.0, 9.0, 10.0, 11.0]], dtype=float64)

a rolled up:
array([[4.0, 5.0, 6.0, 7.0],
       [8.0, 9.0, 10.0, 11.0],
       [0.0, 1.0, 2.0, 3.0]], dtype=float64)

a:
array([[0.0, 1.0, 2.0, 3.0],

```

(continues on next page)

(continued from previous page)

```

        [4.0, 5.0, 6.0, 7.0],
        [8.0, 9.0, 10.0, 11.0]], dtype=float64)

a rolled to the left:
array([[1.0, 2.0, 3.0, 0.0],
       [5.0, 6.0, 7.0, 4.0],
       [9.0, 10.0, 11.0, 8.0]], dtype=float64)
a:
array([[0.0, 1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0, 7.0],
       [8.0, 9.0, 10.0, 11.0]], dtype=float64)

a rolled with None:
array([[11.0, 0.0, 1.0, 2.0],
       [3.0, 4.0, 5.0, 6.0],
       [7.0, 8.0, 9.0, 10.0]], dtype=float64)

```

4.25 sort

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.sort.html>

The sort function takes an ndarray, and sorts its elements in ascending order along the specified axis using a heap sort algorithm. As opposed to the `.sort()` method discussed earlier, this function creates a copy of its input before sorting, and at the end, returns this copy. Sorting takes place in place, without auxiliary storage. The `axis` keyword argument takes on the possible values of -1 (the last axis, in ulab equivalent to the second axis, and this also happens to be the default value), 0, 1, or None. The first three cases are identical to those in *diff*, while the last one flattens the array before sorting.

If descending order is required, the result can simply be flipped, see *flip*.

WARNING: numpy defines the `kind`, and `order` keyword arguments that are not implemented here. The function in ulab always uses heap sort, and since ulab does not have the concept of data fields, the `order` keyword argument would have no meaning.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 12, 3, 0], [5, 3, 4, 1], [9, 11, 1, 8], [7, 10, 0, 1]], dtype=np.float)
print('\na:\n', a)
b = np.sort(a, axis=0)
print('\na sorted along vertical axis:\n', b)

c = np.sort(a, axis=1)
print('\na sorted along horizontal axis:\n', c)

c = np.sort(a, axis=None)
print('\nflattened a sorted:\n', c)

```

```

a:
array([[1.0, 12.0, 3.0, 0.0],

```

(continues on next page)

(continued from previous page)

```

        [5.0, 3.0, 4.0, 1.0],
        [9.0, 11.0, 1.0, 8.0],
        [7.0, 10.0, 0.0, 1.0]], dtype=float64)

a sorted along vertical axis:
array([[1.0, 3.0, 0.0, 0.0],
       [5.0, 10.0, 1.0, 1.0],
       [7.0, 11.0, 3.0, 1.0],
       [9.0, 12.0, 4.0, 8.0]], dtype=float64)

a sorted along horizontal axis:
array([[0.0, 1.0, 3.0, 12.0],
       [1.0, 3.0, 4.0, 5.0],
       [1.0, 8.0, 9.0, 11.0],
       [0.0, 1.0, 7.0, 10.0]], dtype=float64)

flattened a sorted:
array([0.0, 0.0, 1.0, ..., 10.0, 11.0, 12.0], dtype=float64)

```

Heap sort requires $\sim N \log N$ operations, and notably, the worst case costs only 20% more time than the average. In order to get an order-of-magnitude estimate, we will take the sine of 1000 uniformly spaced numbers between 0, and two pi, and sort them:

```

# code to be run in micropython

import ulab as np
from ulab import vector
from ulab import numerical

@timeit
def sort_time(array):
    return numerical.sort(array)

b = vector.sin(np.linspace(0, 6.28, num=1000))
print('b: ', b)
sort_time(b)
print('\nb sorted:\n', b)

```

4.26 std

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.std.html>

If the axis keyword is not specified, it assumes the default value of `None`, and returns the result of the computation for the flattened array. Otherwise, the calculation is along the given axis.

```

# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
print('a: \n', a)

```

(continues on next page)

(continued from previous page)

```
print('sum, flat array: ', np.std(a))
print('std, vertical: ', np.std(a, axis=0))
print('std, horizontal: ', np.std(a, axis=1))
```

```
a:
array([[1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0],
       [7.0, 8.0, 9.0]], dtype=float64)
sum, flat array: 2.581988897471611
std, vertical: array([2.449489742783178, 2.449489742783178, 2.449489742783178],
dtype=float64)
std, horizontal: array([0.8164965809277261, 0.8164965809277261, 0.8164965809277261],
dtype=float64)
```

4.27 sum

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.sum.html>

If the axis keyword is not specified, it assumes the default value of `None`, and returns the result of the computation for the flattened array. Otherwise, the calculation is along the given axis.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
print('a: \n', a)

print('sum, flat array: ', np.sum(a))
print('sum, horizontal: ', np.sum(a, axis=1))
print('std, vertical: ', np.sum(a, axis=0))
```

```
a:
array([[1.0, 2.0, 3.0],
       [4.0, 5.0, 6.0],
       [7.0, 8.0, 9.0]], dtype=float64)
sum, flat array: 45.0
sum, horizontal: array([6.0, 15.0, 24.0], dtype=float64)
std, vertical: array([12.0, 15.0, 18.0], dtype=float64)
```

4.28 trace

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.trace.html>

The `trace` function returns the sum of the diagonal elements of a square matrix. If the input argument is not a square matrix, an exception will be raised.

The scalar so returned will inherit the type of the input array, i.e., integer arrays have integer trace, and floating point arrays a floating point trace.

```
# code to be run in micropython
```

```
from ulab import numpy as np

a = np.array([[25, 15, -5], [15, 18, 0], [-5, 0, 11]], dtype=np.int8)
print('a: ', a)
print('\ntrace of a: ', np.trace(a))

b = np.array([[25, 15, -5], [15, 18, 0], [-5, 0, 11]], dtype=np.float)

print('='*20 + '\nb: ', b)
print('\ntrace of b: ', np.trace(b))
```

```
a: array([[25, 15, -5],
          [15, 18, 0],
          [-5, 0, 11]], dtype=int8)

trace of a:  54
=====
b: array([[25.0, 15.0, -5.0],
          [15.0, 18.0, 0.0],
          [-5.0, 0.0, 11.0]], dtype=float64)

trace of b:  54.0
```

4.29 trapz

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.trapz.html>

The function takes one or two one-dimensional `ndarrays`, and integrates the dependent values (`y`) using the trapezoidal rule. If the independent variable (`x`) is given, that is taken as the sample points corresponding to `y`.

```
# code to be run in micropython
```

```
from ulab import numpy as np

x = np.linspace(0, 9, num=10)
y = x*x

print('x: ', x)
print('y: ', y)
print('=====')
```

(continues on next page)

(continued from previous page)

```
print('integral of y: ', np.trapz(y))
print('integral of y at x: ', np.trapz(y, x=x))
```

```
x: array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0], dtype=float64)
y: array([0.0, 1.0, 4.0, 9.0, 16.0, 25.0, 36.0, 49.0, 64.0, 81.0], dtype=float64)
=====
integral of y: 244.5
integral of y at x: 244.5
```

4.30 where

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.where.html>

The function takes three positional arguments, `condition`, `x`, and `y`, and returns a new `ndarray`, whose values are taken from either `x`, or `y`, depending on the truthness of `condition`. The three arguments are broadcast together, and the function raises a `ValueError` exception, if broadcasting is not possible.

The function is implemented for `ndarrays` only: other iterable types can be passed after casting them to an `ndarray` by calling the array constructor.

If the `dtypes` of `x`, and `y` differ, the output is upcast as discussed earlier.

Note that the `condition` is expanded into an Boolean `ndarray`. This means that the storage required to hold the `condition` should be taken into account, whenever the function is called.

The following example returns an `ndarray` of length 4, with 1 at positions, where `condition` is smaller than 3, and with -1 otherwise.

```
# code to be run in micropython

from ulab import numpy as np

condition = np.array([1, 2, 3, 4], dtype=np.uint8)
print(np.where(condition < 3, 1, -1))
```

```
array([1, 1, -1, -1], dtype=int16)
```

The next snippet shows, how values from two arrays can be fed into the output:

```
# code to be run in micropython

from ulab import numpy as np

condition = np.array([1, 2, 3, 4], dtype=np.uint8)
x = np.array([11, 22, 33, 44], dtype=np.uint8)
y = np.array([1, 2, 3, 4], dtype=np.uint8)
print(np.where(condition < 3, x, y))
```

```
array([11, 22, 3, 4], dtype=uint8)
```


UNIVERSAL FUNCTIONS

Standard mathematical functions can be calculated on any scalar, scalar-valued iterable (ranges, lists, tuples containing numbers), and on `ndarrays` without having to change the call signature. In all cases the functions return a new `ndarray` of typecode `float` (since these functions usually generate float values, anyway). The functions execute faster with `ndarray` arguments than with iterables, because the values of the input vector can be extracted faster.

At present, the following functions are supported:

`acos`, `acosh`, `arctan2`, `around`, `asin`, `asinh`, `atan`, `arctan2`, `atanh`, `ceil`, `cos`, `degrees`, `exp`, `expm1`, `floor`, `log`, `log10`, `log2`, `radians`, `sin`, `sinh`, `sqrt`, `tan`, `tanh`.

These functions are applied element-wise to the arguments, thus, e.g., the exponential of a matrix cannot be calculated in this way.

```
# code to be run in micropython

from ulab import numpy as np

a = range(9)
b = np.array(a)

# works with ranges, lists, tuples etc.
print('a:\t', a)
print('exp(a):\t', np.exp(a))

# with 1D arrays
print('\n===== \nb: \n', b)
print('exp(b): \n', np.exp(b))

# as well as with matrices
c = np.array(range(9)).reshape((3, 3))
print('\n===== \nc: \n', c)
print('exp(c): \n', np.exp(c))
```

```
a:  range(0, 9)
exp(a):      array([1.0, 2.718281828459045, 7.38905609893065, 20.08553692318767, 54.
↳ 59815003314424, 148.4131591025766, 403.4287934927351, 1096.633158428459, 2980.
↳ 957987041728], dtype=float64)

=====
b:
  array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
exp(b):
```

(continues on next page)

(continued from previous page)

```

array([1.0, 2.718281828459045, 7.38905609893065, 20.08553692318767, 54.59815003314424,
↪ 148.4131591025766, 403.4287934927351, 1096.633158428459, 2980.957987041728],
↪ dtype=float64)

=====
c:
array([[0.0, 1.0, 2.0],
       [3.0, 4.0, 5.0],
       [6.0, 7.0, 8.0]], dtype=float64)
exp(c):
array([[1.0, 2.718281828459045, 7.38905609893065],
       [20.08553692318767, 54.59815003314424, 148.4131591025766],
       [403.4287934927351, 1096.633158428459, 2980.957987041728]], dtype=float64)

```

5.1 Computation expenses

The overhead for calculating with micropython iterables is quite significant: for the 1000 samples below, the difference is more than 800 microseconds, because internally the function has to create the `ndarray` for the output, has to fetch the iterable's items of unknown type, and then convert them to floats. All these steps are skipped for `ndarrays`, because these pieces of information are already known.

Doing the same with `list` comprehension requires 30 times more time than with the `ndarray`, which would become even more, if we converted the resulting list to an `ndarray`.

```

# code to be run in micropython

from ulab import numpy as np
import math

a = [0]*1000
b = np.array(a)

@timeit
def timed_vector(iterable):
    return np.exp(iterable)

@timeit
def timed_list(iterable):
    return [math.exp(i) for i in iterable]

print('iterating over ndarray in ulab')
timed_vector(b)

print('\niterating over list in ulab')
timed_vector(a)

print('\niterating over list in python')
timed_list(a)

```

```

iterating over ndarray in ulab
execution time: 441 us

iterating over list in ulab
execution time: 1266 us

iterating over list in python
execution time: 11379 us

```

5.2 arctan2

numpy: <https://docs.scipy.org/doc/numpy-1.17.0/reference/generated/numpy.arctan2.html>

The two-argument inverse tangent function is also part of the `vector` sub-module. The function implements broadcasting as discussed in the section on ndarrays. Scalars (micropython integers or floats) are also allowed.

code to be run in micropython

```

from ulab import numpy as np

a = np.array([1, 2.2, 33.33, 444.444])
print('a:\n', a)
print('\narctan2(a, 1.0)\n', np.arctan2(a, 1.0))
print('\narctan2(1.0, a)\n', np.arctan2(1.0, a))
print('\narctan2(a, a): \n', np.arctan2(a, a))

```

```

a:
array([1.0, 2.2, 33.33, 444.444], dtype=float64)

arctan2(a, 1.0)
array([0.7853981633974483, 1.14416883366802, 1.5408023243361, 1.568546328341769],
↪ dtype=float64)

arctan2(1.0, a)
array([0.7853981633974483, 0.426627493126876, 0.02999400245879636, 0.
↪ 002249998453127392], dtype=float64)

arctan2(a, a):
array([0.7853981633974483, 0.7853981633974483, 0.7853981633974483, 0.7853981633974483],
↪ dtype=float64)

```


5.3 around

numpy: <https://docs.scipy.org/doc/numpy-1.17.0/reference/generated/numpy.around.html>

numpy's `around` function can also be found in the `vector` sub-module. The function implements the `decimals` keyword argument with default value `0`. The first argument must be an `ndarray`. If this is not the case, the function raises a `TypeError` exception. Note that numpy accepts general iterables. The `out` keyword argument known from numpy is not accepted. The function always returns an `ndarray` of type `mp_float_t`.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2.2, 33.33, 444.444])
print('a:\t\t', a)
print('\ndecimals = 0\t', np.around(a, decimals=0))
print('\ndecimals = 1\t', np.around(a, decimals=1))
print('\ndecimals = -1\t', np.around(a, decimals=-1))
```

```
a:          array([1.0, 2.2, 33.33, 444.444], dtype=float64)

decimals = 0          array([1.0, 2.0, 33.0, 444.0], dtype=float64)

decimals = 1          array([1.0, 2.2, 33.3, 444.4], dtype=float64)

decimals = -1         array([0.0, 0.0, 30.0, 440.0], dtype=float64)
```

5.4 Vectorising generic python functions

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.vectorize.html>

The examples above use factory functions. In fact, they are nothing but the vectorised versions of the standard mathematical functions. User-defined python functions can also be vectorised by help of `vectorize`. This function takes a positional argument, namely, the python function that you want to vectorise, and a non-mandatory keyword argument, `otypes`, which determines the `dtype` of the output array. The `otypes` must be `None` (default), or any of the `dtypes` defined in `ulab`. With `None`, the output is automatically turned into a float array.

The return value of `vectorize` is a micropython object that can be called as a standard function, but which now accepts either a scalar, an `ndarray`, or a generic micropython iterable as its sole argument. Note that the function that is to be vectorised must have a single argument.

```
# code to be run in micropython

from ulab import numpy as np

def f(x):
    return x*x

vf = np.vectorize(f)

# calling with a scalar
print('{:20}'.format('f on a scalar: '), vf(44.0))
```

(continues on next page)

(continued from previous page)

```
# calling with an ndarray
a = np.array([1, 2, 3, 4])
print('{:20}'.format('f on an ndarray: '), vf(a))

# calling with a list
print('{:20}'.format('f on a list: '), vf([2, 3, 4]))
```

```
f on a scalar:      array([1936.0], dtype=float64)
f on an ndarray:   array([1.0, 4.0, 9.0, 16.0], dtype=float64)
f on a list:       array([4.0, 9.0, 16.0], dtype=float64)
```

As mentioned, the dtype of the resulting ndarray can be specified via the `otypes` keyword. The value is bound to the function object that `vectorize` returns, therefore, if the same function is to be vectorised with different output types, then for each type a new function object must be created.

```
# code to be run in micropython

from ulab import numpy as np

l = [1, 2, 3, 4]
def f(x):
    return x*x

vf1 = np.vectorize(f, otypes=np.uint8)
vf2 = np.vectorize(f, otypes=np.float)

print('{:20}'.format('output is uint8: '), vf1(l))
print('{:20}'.format('output is float: '), vf2(l))
```

```
output is uint8:      array([1, 4, 9, 16], dtype=uint8)
output is float:      array([1.0, 4.0, 9.0, 16.0], dtype=float64)
```

The `otypes` keyword argument cannot be used for type coercion: if the function evaluates to a float, but `otypes` would dictate an integer type, an exception will be raised:

```
# code to be run in micropython

from ulab import numpy as np

int_list = [1, 2, 3, 4]
float_list = [1.0, 2.0, 3.0, 4.0]
def f(x):
    return x*x

vf = np.vectorize(f, otypes=np.uint8)

print('{:20}'.format('integer list: '), vf(int_list))
# this will raise a TypeError exception
print(vf(float_list))
```

```
integer list:          array([1, 4, 9, 16], dtype=uint8)
```

```
Traceback (most recent call last):
```

```
  File "/dev/shm/micropython.py", line 14, in <module>
TypeError: can't convert float to int
```

5.4.1 Benchmarks

It should be pointed out that the `vectorize` function produces the pseudo-vectorised version of the `python` function that is fed into it, i.e., on the C level, the same `python` function is called, with the all-encompassing `mp_obj_t` type arguments, and all that happens is that the `for` loop in `[f(i) for i in iterable]` runs purely in C. Since type checking and type conversion in `f()` is expensive, the speed-up is not so spectacular as when iterating over an `ndarray` with a factory function: a gain of approximately 30% can be expected, when a native `python` type (e.g., `list`) is returned by the function, and this becomes around 50% (a factor of 2), if conversion to an `ndarray` is also counted.

The following code snippet calculates the square of a 1000 numbers with the vectorised function (which returns an `ndarray`), with `list` comprehension, and with `list` comprehension followed by conversion to an `ndarray`. For comparison, the execution time is measured also for the case, when the square is calculated entirely in `ulab`.

```
# code to be run in micropython

from ulab import numpy as np

def f(x):
    return x*x

vf = np.vectorize(f)

@timeit
def timed_vectorised_square(iterable):
    return vf(iterable)

@timeit
def timed_python_square(iterable):
    return [f(i) for i in iterable]

@timeit
def timed_ndarray_square(iterable):
    return np.array([f(i) for i in iterable])

@timeit
def timed_ulab_square(ndarray):
    return ndarray**2

print('vectorised function')
squares = timed_vectorised_square(range(1000))

print('\nlist comprehension')
squares = timed_python_square(range(1000))

print('\nlist comprehension + ndarray conversion')
squares = timed_ndarray_square(range(1000))
```

(continues on next page)

(continued from previous page)

```
print('\nsquaring an ndarray entirely in ulab')
a = np.array(range(1000))
squares = timed_ulab_square(a)
```

```
vectorised function
execution time: 7237 us

list comprehension
execution time: 10248 us

list comprehension + ndarray conversion
execution time: 12562 us

squaring an ndarray entirely in ulab
execution time: 560 us
```

From the comparisons above, it is obvious that python functions should only be vectorised, when the same effect cannot be gotten in ulab only. However, although the time savings are not significant, there is still a good reason for caring about vectorised functions. Namely, user-defined python functions become universal, i.e., they can accept generic iterables as well as ndarrays as their arguments. A vectorised function is still a one-liner, resulting in transparent and elegant code.

A final comment on this subject: the $f(x)$ that we defined is a *generic* python function. This means that it is not required that it just crunches some numbers. It has to return a number object, but it can still access the hardware in the meantime. So, e.g.,

```
led = pyb.LED(2)

def f(x):
    if x < 100:
        led.toggle()
    return x*x
```

is perfectly valid code.

NUMPY.FFT

Functions related to Fourier transforms can be called by prepending them with `numpy.fft..` The module defines the following two functions:

1. `numpy.fft.fft`
2. `numpy.fft.ifft`

`numpy`: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.fft.ifft.html>

6.1 fft

Since `ulab`'s `ndarray` does not support complex numbers, the invocation of the Fourier transform differs from that in `numpy`. In `numpy`, you can simply pass an array or iterable to the function, and it will be treated as a complex array:

```
# code to be run in CPython
```

```
fft.fft([1, 2, 3, 4, 1, 2, 3, 4])
```

```
array([20.+0.j,  0.+0.j, -4.+4.j,  0.+0.j, -4.+0.j,  0.+0.j, -4.-4.j,
       0.+0.j])
```

WARNING: The array returned is also complex, i.e., the real and imaginary components are cast together. In `ulab`, the real and imaginary parts are treated separately: you have to pass two `ndarrays` to the function, although, the second argument is optional, in which case the imaginary part is assumed to be zero.

WARNING: The function, as opposed to `numpy`, returns a 2-tuple, whose elements are two `ndarrays`, holding the real and imaginary parts of the transform separately.

```
# code to be run in micropython
```

```
from ulab import numpy as np
```

```
x = np.linspace(0, 10, num=1024)
```

```
y = np.sin(x)
```

```
z = np.zeros(len(x))
```

```
a, b = np.fft.fft(x)
```

```
print('real part:\t', a)
```

```
print('\nimaginary part:\t', b)
```

```
c, d = np.fft.fft(x, z)
```

(continues on next page)

(continued from previous page)

```
print('\nreal part:\t', c)
print('\nimaginary part:\t', d)
```

```
real part:  array([5119.996, -5.004663, -5.004798, ..., -5.005482, -5.005643, -5.
↳ 006577], dtype=float)

imaginary part:  array([0.0, 1631.333, 815.659, ..., -543.764, -815.6588, -1631.333],
↳ dtype=float)

real part:  array([5119.996, -5.004663, -5.004798, ..., -5.005482, -5.005643, -5.
↳ 006577], dtype=float)

imaginary part:  array([0.0, 1631.333, 815.659, ..., -543.764, -815.6588, -1631.333],
↳ dtype=float)
```

6.2 ifft

The above-mentioned rules apply to the inverse Fourier transform. The inverse is also normalised by N , the number of elements, as is customary in `numpy`. With the normalisation, we can ascertain that the inverse of the transform is equal to the original array.

```
# code to be run in micropython

from ulab import numpy as np

x = np.linspace(0, 10, num=1024)
y = np.sin(x)

a, b = np.fft.fft(y)

print('original vector:\t', y)

y, z = np.fft.ifft(a, b)
# the real part should be equal to y
print('\nreal part of inverse:\t', y)
# the imaginary part should be equal to zero
print('\nimaginary part of inverse:\t', z)
```

```
original vector:  array([0.0, 0.009775016, 0.0195491, ..., -0.5275068, -0.5357859, -0.
↳ 5440139], dtype=float)

real part of inverse:  array([-2.980232e-08, 0.0097754, 0.0195494, ..., -0.5275064,
↳ -0.5357857, -0.5440133], dtype=float)

imaginary part of inverse:  array([-2.980232e-08, -1.451171e-07, 3.693752e-08, ..., 6.
↳ 44871e-08, 9.34986e-08, 2.18336e-07], dtype=float)
```

Note that unlike in `numpy`, the length of the array on which the Fourier transform is carried out must be a power of 2. If this is not the case, the function raises a `ValueError` exception.

6.3 Computation and storage costs

6.3.1 RAM

The FFT routine of ulab calculates the transform in place. This means that beyond reserving space for the two ndarrays that will be returned (the computation uses these two as intermediate storage space), only a handful of temporary variables, all floats or 32-bit integers, are required.

6.3.2 Speed of FFTs

A comment on the speed: a 1024-point transform implemented in python would cost around 90 ms, and 13 ms in assembly, if the code runs on the pyboard, v.1.1. You can gain a factor of four by moving to the D series <https://github.com/peterhinch/micropython-fourier/blob/master/README.md#8-performance>.

```
# code to be run in micropython

from ulab import numpy as np

x = np.linspace(0, 10, num=1024)
y = np.sin(x)

@timeit
def np_fft(y):
    return np.fft.fft(y)

a, b = np_fft(y)
```

```
execution time: 1985 us
```

The C implementation runs in less than 2 ms on the pyboard (we have just measured that), and has been reported to run in under 0.8 ms on the D series board. That is an improvement of at least a factor of four.

NUMPY.LINALG

Functions in the `linalg` module can be called by prepending them by `numpy.linalg..` The module defines the following seven functions:

1. `numpy.linalg.cholesky`
2. `numpy.linalg.det`
3. `numpy.linalg.eig`
4. `numpy.linalg.inv`
5. `numpy.linalg.norm`
6. `numpy.linalg.qr`

7.1 cholesky

numpy: <https://docs.scipy.org/doc/numpy-1.17.0/reference/generated/numpy.linalg.cholesky.html>

The function of the Cholesky decomposition takes a positive definite, symmetric square matrix as its single argument, and returns the *square root matrix* in the lower triangular form. If the input argument does not fulfill the positivity or symmetry condition, a `ValueError` is raised.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([[25, 15, -5], [15, 18, 0], [-5, 0, 11]])
print('a: ', a)
print('\n' + '='*20 + '\nCholesky decomposition\n', np.linalg.cholesky(a))
```

```
a: array([[25.0, 15.0, -5.0],
          [15.0, 18.0, 0.0],
          [-5.0, 0.0, 11.0]], dtype=float)

=====
Cholesky decomposition
array([[5.0, 0.0, 0.0],
       [3.0, 3.0, 0.0],
       [-1.0, 1.0, 3.0]], dtype=float)
```

7.2 det

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.linalg.det.html>

The `det` function takes a square matrix as its single argument, and calculates the determinant. The calculation is based on successive elimination of the matrix elements, and the return value is a float, even if the input array was of integer type.

```
# code to be run in micropython
```

```
from ulab import numpy as np

a = np.array([[1, 2], [3, 4]], dtype=np.uint8)
print(np.linalg.det(a))
```

```
-2.0
```

7.2.1 Benchmark

Since the routine for calculating the determinant is pretty much the same as for finding the *inverse of a matrix*, the execution times are similar:

```
# code to be run in micropython
```

```
from ulab import numpy as np

@timeit
def matrix_det(m):
    return np.linalg.inv(m)

m = np.array([[1, 2, 3, 4, 5, 6, 7, 8], [0, 5, 6, 4, 5, 6, 4, 5],
              [0, 0, 9, 7, 8, 9, 7, 8], [0, 0, 0, 10, 11, 12, 11, 12],
              [0, 0, 0, 0, 4, 6, 7, 8], [0, 0, 0, 0, 0, 5, 6, 7],
              [0, 0, 0, 0, 0, 0, 7, 6], [0, 0, 0, 0, 0, 0, 0, 2]])

matrix_det(m)
```

```
execution time: 294 us
```

7.3 eig

numpy: <https://docs.scipy.org/doc/numpy/reference/generated/numpy.linalg.eig.html>

The `eig` function calculates the eigenvalues and the eigenvectors of a real, symmetric square matrix. If the matrix is not symmetric, a `ValueError` will be raised. The function takes a single argument, and returns a tuple with the eigenvalues, and eigenvectors. With the help of the eigenvectors, amongst other things, you can implement sophisticated stabilisation routines for robots.

```
# code to be run in micropython
```

(continues on next page)

(continued from previous page)

```

from ulab import numpy as np

a = np.array([[1, 2, 1, 4], [2, 5, 3, 5], [1, 3, 6, 1], [4, 5, 1, 7]], dtype=np.uint8)
x, y = np.linalg.eig(a)
print('eigenvectors of a:\n', y)
print('\neigenvalues of a:\n', x)

```

```

eigenvectors of a:
array([[0.8151560042509081, -0.4499411232970823, -0.1644660242574522, 0.
↪ 3256141906686505],
       [0.2211334179893007, 0.7846992598235538, 0.08372081379922657, 0.5730077734355189],
       [-0.1340114162071679, -0.3100776411558949, 0.8742786816656, 0.3486109343758527],
       [-0.5183258053659028, -0.292663481927148, -0.4489749870391468, 0.
↪ 6664142156731531]], dtype=float)

eigenvalues of a:
array([-1.165288365404889, 0.8029365530314914, 5.585625756072663, 13.77672605630074], ↪
↪ dtype=float)

```

The same matrix diagonalised with numpy yields:

```

# code to be run in CPython

a = array([[1, 2, 1, 4], [2, 5, 3, 5], [1, 3, 6, 1], [4, 5, 1, 7]], dtype=np.uint8)
x, y = eig(a)
print('eigenvectors of a:\n', y)
print('\neigenvalues of a:\n', x)

```

```

eigenvectors of a:
[[ 0.32561419  0.815156   0.44994112 -0.16446602]
 [ 0.57300777  0.22113342 -0.78469926  0.08372081]
 [ 0.34861093 -0.13401142  0.31007764  0.87427868]
 [ 0.66641421 -0.51832581  0.29266348 -0.44897499]]

eigenvalues of a:
[13.77672606 -1.16528837  0.80293655  5.58562576]

```

When comparing results, we should keep two things in mind:

1. the eigenvalues and eigenvectors are not necessarily sorted in the same way
2. an eigenvector can be multiplied by an arbitrary non-zero scalar, and it is still an eigenvector with the same eigenvalue. This is why all signs of the eigenvector belonging to 5.58, and 0.80 are flipped in ulab with respect to numpy. This difference, however, is of absolutely no consequence.

7.3.1 Computation expenses

Since the function is based on [Givens rotations](#) and runs till convergence is achieved, or till the maximum number of allowed rotations is exhausted, there is no universal estimate for the time required to find the eigenvalues. However, an order of magnitude can, at least, be guessed based on the measurement below:

```
# code to be run in micropython

from ulab import numpy as np

@timeit
def matrix_eig(a):
    return np.linalg.eig(a)

a = np.array([[1, 2, 1, 4], [2, 5, 3, 5], [1, 3, 6, 1], [4, 5, 1, 7]], dtype=np.uint8)

matrix_eig(a)
```

```
execution time: 111 us
```

7.4 inv

numpy: <https://docs.scipy.org/doc/numpy-1.17.0/reference/generated/numpy.linalg.inv.html>

A square matrix, provided that it is not singular, can be inverted by calling the `inv` function that takes a single argument. The inversion is based on successive elimination of elements in the lower left triangle, and raises a `ValueError` exception, if the matrix turns out to be singular (i.e., one of the diagonal entries is zero).

```
# code to be run in micropython

from ulab import numpy as np

m = np.array([[1, 2, 3, 4], [4, 5, 6, 4], [7, 8.6, 9, 4], [3, 4, 5, 6]])

print(np.linalg.inv(m))
```

```
array([[-2.166666666666667, 1.5000000000000001, -0.8333333333333337, 1.0],
       [1.6666666666666667, -3.3333333333333335, 1.6666666666666668, -0.0],
       [0.16666666666666666, 2.1666666666666668, -0.8333333333333337, -1.0],
       [-0.16666666666666667, -0.3333333333333333, 0.0, 0.5]], dtype=float64)
```

7.4.1 Computation expenses

Note that the cost of inverting a matrix is approximately twice as many floats (RAM), as the number of entries in the original matrix, and approximately as many operations, as the number of entries. Here are a couple of numbers:

```
# code to be run in micropython

from ulab import numpy as np
```

(continues on next page)

(continued from previous page)

```
@timeit
def invert_matrix(m):
    return np.linalg.inv(m)

m = np.array([[1, 2,], [4, 5]])
print('2 by 2 matrix:')
invert_matrix(m)

m = np.array([[1, 2, 3, 4], [4, 5, 6, 4], [7, 8.6, 9, 4], [3, 4, 5, 6]])
print('\n4 by 4 matrix:')
invert_matrix(m)

m = np.array([[1, 2, 3, 4, 5, 6, 7, 8], [0, 5, 6, 4, 5, 6, 4, 5],
              [0, 0, 9, 7, 8, 9, 7, 8], [0, 0, 0, 10, 11, 12, 11, 12],
              [0, 0, 0, 0, 4, 6, 7, 8], [0, 0, 0, 0, 0, 5, 6, 7],
              [0, 0, 0, 0, 0, 0, 7, 6], [0, 0, 0, 0, 0, 0, 0, 2]])
print('\n8 by 8 matrix:')
invert_matrix(m)
```

```
2 by 2 matrix:
execution time: 65 us

4 by 4 matrix:
execution time: 105 us

8 by 8 matrix:
execution time: 299 us
```

The above-mentioned scaling is not obeyed strictly. The reason for the discrepancy is that the function call is still the same for all three cases: the input must be inspected, the output array must be created, and so on.

7.5 norm

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.linalg.norm.html>

The function takes a vector or matrix without options, and returns its 2-norm, i.e., the square root of the sum of the square of the elements.

```
# code to be run in micropython

from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5])
b = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])

print('norm of a:', np.linalg.norm(a))
print('norm of b:', np.linalg.norm(b))
```

```
norm of a: 7.416198487095663
norm of b: 16.88194301613414
```

7.6 qr

numpy: <https://numpy.org/doc/stable/reference/generated/numpy.linalg.qr.html>

The function computes the QR decomposition of a matrix m of dimensions (M, N) , i.e., it returns two such matrices, q , and r , that $m = qr$, where q is orthonormal, and r is upper triangular. In addition to the input matrix, which is the first positional argument, the function accepts the `mode` keyword argument with a default value of `reduced`. If `mode` is `reduced`, q , and r are returned in the reduced representation. Otherwise, the outputs will have dimensions (M, M) , and (M, N) , respectively.

```
# code to be run in micropython

from ulab import numpy as np

A = np.arange(6).reshape((3, 2))
print('A: \n', A)

print('complete decomposition')
q, r = np.linalg.qr(A, mode='complete')
print('q: \n', q)
print()
print('r: \n', r)

print('\n\nreduced decomposition')
q, r = np.linalg.qr(A, mode='reduced')
print('q: \n', q)
print()
print('r: \n', r)
```

```
A:
array([[0, 1],
       [2, 3],
       [4, 5]], dtype=int16)
complete decomposition
q:
array([[0.0, -0.9128709291752768, 0.408248290463863],
       [-0.447213595499958, -0.3651483716701107, -0.8164965809277261],
       [-0.8944271909999159, 0.1825741858350553, 0.408248290463863]], dtype=float64)

r:
array([[-4.47213595499958, -5.813776741499454],
       [0.0, -1.095445115010332],
       [0.0, 0.0]], dtype=float64)

reduced decomposition
q:
array([[0.0, -0.9128709291752768],
       [-0.447213595499958, -0.3651483716701107],
       [-0.8944271909999159, 0.1825741858350553]], dtype=float64)

r:
array([[-4.47213595499958, -5.813776741499454],
```

(continues on next page)

(continued from previous page)

```
[0.0, -1.095445115010332]], dtype=float64)
```


SCIPY.LINALG

scipy's linalg module contains two functions, `solve_triangular`, and `cho_solve`. The functions can be called by prepending them by `scipy.linalg..`

1. `scipy.linalg.solve_cho`
2. `scipy.linalg.solve_triangular`

8.1 cho_solve

scipy: https://docs.scipy.org/doc/scipy/reference/generated/scipy.linalg.cho_solve.html

Solve the linear equations

:raw-latex: $\mathbf{A} \cdot \mathbf{x} = \mathbf{b}$

given the Cholesky factorization of **A**. As opposed to `scipy`, the function simply takes the Cholesky-factorised matrix, **A**, and **b** as inputs.

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy

A = np.array([[3, 0, 0, 0], [2, 1, 0, 0], [1, 0, 1, 0], [1, 2, 1, 8]])
b = np.array([4, 2, 4, 2])

print(spy.linalg.cho_solve(A, b))
```

```
array([-0.0138888888888906, -0.645833333333331, 2.67708333333333, -0.
↪ 0104166666666667], dtype=float64)
```

8.2 solve_triangular

scipy: https://docs.scipy.org/doc/scipy/reference/generated/scipy.linalg.solve_triangular.html

Solve the linear equation

:raw-latex: $\begin{equation} \mathbf{a} \cdot \mathbf{x} = \mathbf{b} \end{equation}$

with the assumption that \mathbf{a} is a triangular matrix. The two position arguments are \mathbf{a} , and \mathbf{b} , and the optional keyword argument is `lower` with a default value of `False`. `lower` determines, whether data are taken from the lower, or upper triangle of \mathbf{a} .

Note that \mathbf{a} itself does not have to be a triangular matrix: if it is not, then the values are simply taken to be 0 in the upper or lower triangle, as dictated by `lower`. However, $\mathbf{a} \cdot \mathbf{x}$ will yield \mathbf{b} only, when \mathbf{a} is triangular. You should keep this in mind, when trying to establish the validity of the solution by back substitution.

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy

a = np.array([[3, 0, 0, 0], [2, 1, 0, 0], [1, 0, 1, 0], [1, 2, 1, 8]])
b = np.array([4, 2, 4, 2])

print('a:\n')
print(a)
print('\nb: ', b)

x = spy.linalg.solve_triangular(a, b, lower=True)

print('='*20)
print('x: ', x)
print('\ndot(a, x): ', np.dot(a, x))
```

```
a:
array([[3.0, 0.0, 0.0, 0.0],
       [2.0, 1.0, 0.0, 0.0],
       [1.0, 0.0, 1.0, 0.0],
       [1.0, 2.0, 1.0, 8.0]], dtype=float64)

b: array([4.0, 2.0, 4.0, 2.0], dtype=float64)
=====
x: array([1.3333333333333333, -0.6666666666666665, 2.6666666666666667, -0.
↪08333333333333337], dtype=float64)

dot(a, x): array([4.0, 2.0, 4.0, 2.0], dtype=float64)
```

With get the same solution, \mathbf{x} , with the following matrix, but the dot product of \mathbf{a} , and \mathbf{x} is no longer \mathbf{b} :

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy
```

(continues on next page)

(continued from previous page)

```

a = np.array([[3, 2, 1, 0], [2, 1, 0, 1], [1, 0, 1, 4], [1, 2, 1, 8]])
b = np.array([4, 2, 4, 2])

print('a:\n')
print(a)
print('\nb: ', b)

x = spy.linalg.solve_triangular(a, b, lower=True)

print('='*20)
print('x: ', x)
print('\ndot(a, x): ', np.dot(a, x))

```

```

a:
array([[3.0, 2.0, 1.0, 0.0],
       [2.0, 1.0, 0.0, 1.0],
       [1.0, 0.0, 1.0, 4.0],
       [1.0, 2.0, 1.0, 8.0]], dtype=float64)

b:  array([4.0, 2.0, 4.0, 2.0], dtype=float64)
=====
x:  array([1.3333333333333333, -0.6666666666666665, 2.6666666666666667, -0.
↪ 08333333333333337], dtype=float64)

dot(a, x):  array([5.3333333333333334, 1.9166666666666666, 3.6666666666666667, 2.0], ↪
↪ dtype=float64)

```


SCIPY.OPTIMIZE

Functions in the `optimize` module can be called by prepending them by `scipy.optimize..` The module defines the following three functions:

1. `scipy.optimize.bisect`
2. `scipy.optimize.fmin`
3. `scipy.optimize.newton`

Note that routines that work with user-defined functions still have to call the underlying `python` code, and therefore, gains in speed are not as significant as with other vectorised operations. As a rule of thumb, a factor of two can be expected, when compared to an optimised `python` implementation.

9.1 bisect

`scipy`: <https://docs.scipy.org/doc/scipy/reference/generated/scipy.optimize.bisect.html>

`bisect` finds the root of a function of one variable using a simple bisection routine. It takes three positional arguments, the function itself, and two starting points. The function must have opposite signs at the starting points. Returned is the position of the root.

Two keyword arguments, `xtol`, and `maxiter` can be supplied to control the accuracy, and the number of bisections, respectively.

```
# code to be run in micropython

from ulab import scipy as spy

def f(x):
    return x*x - 1

print(spy.optimize.bisect(f, 0, 4))

print('only 8 bisections: ', spy.optimize.bisect(f, 0, 4, maxiter=8))

print('with 0.1 accuracy: ', spy.optimize.bisect(f, 0, 4, xtol=0.1))
```

```
0.9999997615814209
only 8 bisections: 0.984375
with 0.1 accuracy: 0.9375
```

9.1.1 Performance

Since the bisect routine calls user-defined python functions, the speed gain is only about a factor of two, if compared to a purely python implementation.

```
# code to be run in micropython

from ulab import scipy as spy

def f(x):
    return (x-1)*(x-1) - 2.0

def bisect(f, a, b, xtol=2.4e-7, maxiter=100):
    if f(a) * f(b) > 0:
        raise ValueError

    rtb = a if f(a) < 0.0 else b
    dx = b - a if f(a) < 0.0 else a - b
    for i in range(maxiter):
        dx *= 0.5
        x_mid = rtb + dx
        mid_value = f(x_mid)
        if mid_value < 0:
            rtb = x_mid
        if abs(dx) < xtol:
            break

    return rtb

@timeit
def bisect_scipy(f, a, b):
    return spy.optimize.bisect(f, a, b)

@timeit
def bisect_timed(f, a, b):
    return bisect(f, a, b)

print('bisect running in python')
bisect_timed(f, 3, 2)

print('bisect running in C')
bisect_scipy(f, 3, 2)
```

```
bisect running in python
execution time: 1270 us
bisect running in C
execution time: 642 us
```

9.2 fmin

scipy: <https://docs.scipy.org/doc/scipy/reference/generated/scipy.optimize.fmin.html>

The `fmin` function finds the position of the minimum of a user-defined function by using the downhill simplex method. Requires two positional arguments, the function, and the initial value. Three keyword arguments, `xatol`, `fatol`, and `maxiter` stipulate conditions for stopping.

```
# code to be run in micropython

from ulab import scipy as spy

def f(x):
    return (x-1)**2 - 1

print(spy.optimize.fmin(f, 3.0))
print(spy.optimize.fmin(f, 3.0, xatol=0.1))
```

```
0.9996093749999952
1.1999999999999996
```

9.3 newton

scipy: <https://docs.scipy.org/doc/scipy/reference/generated/scipy.optimize.newton.html>

`newton` finds a zero of a real, user-defined function using the Newton-Raphson (or secant or Halley's) method. The routine requires two positional arguments, the function, and the initial value. Three keyword arguments can be supplied to control the iteration. These are the absolute and relative tolerances `tol`, and `rtol`, respectively, and the number of iterations before stopping, `maxiter`. The function returns a single scalar, the position of the root.

```
# code to be run in micropython

from ulab import scipy as spy

def f(x):
    return x*x*x - 2.0

print(spy.optimize.newton(f, 3., tol=0.001, rtol=0.01))
```

```
1.260135727246117
```


SCIPY.SIGNAL

Functions in the `signal` module can be called by prepending them by `scipy.signal..` The module defines the following two functions:

1. `scipy.signal.sosfilt`
2. `scipy.signal.spectrogram`

10.1 sosfilt

scipy: <https://docs.scipy.org/doc/scipy/reference/generated/scipy.signal.sosfilt.html>

Filter data along one dimension using cascaded second-order sections.

The function takes two positional arguments, `sos`, the filter segments of length 6, and the one-dimensional, uniformly sampled data set to be filtered. Returns the filtered data, or the filtered data and the final filter delays, if the `zi` keyword arguments is supplied. The keyword argument must be a float ndarray of shape `(n_sections, 2)`. If `zi` is not passed to the function, the initial values are assumed to be 0.

```
# code to be run in micropython
```

```
from ulab import numpy as np
from ulab import scipy as spy

x = np.array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
sos = [[1, 2, 3, 1, 5, 6], [1, 2, 3, 1, 5, 6]]
y = spy.signal.sosfilt(sos, x)
print('y: ', y)
```

```
y: array([0.0, 1.0, -4.0, 24.0, -104.0, 440.0, -1728.0, 6532.000000000001, -23848.0,
↪84864.0], dtype=float)
```

```
# code to be run in micropython
```

```
from ulab import numpy as np
from ulab import scipy as spy

x = np.array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
sos = [[1, 2, 3, 1, 5, 6], [1, 2, 3, 1, 5, 6]]
# initial conditions of the filter
zi = np.array([[1, 2], [3, 4]])
```

(continues on next page)

(continued from previous page)

```
y, zf = spy.signal.sosfilt(sos, x, zi=zi)
print('y: ', y)
print('\n' + '='*40 + '\nzf: ', zf)
```

```
y: array([4.0, -16.0, 63.000000000000001, -227.0, 802.9999999999999, -2751.0, 9271.
↪0000000000001, -30775.0, 101067.0, -328991.0000000001], dtype=float)

=====
zf: array([[37242.0, 74835.0],
          [1026187.0, 1936542.0]], dtype=float)
```

10.2 spectrogram

In addition to the Fourier transform and its inverse, `ulab` also sports a function called `spectrogram`, which returns the absolute value of the Fourier transform. This could be used to find the dominant spectral component in a time series. The arguments are treated in the same way as in `fft`, and `ifft`.

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy

x = np.linspace(0, 10, num=1024)
y = np.sin(x)

a = spy.signal.spectrogram(y)

print('original vector:\t', y)
print('\nspectrum:\t', a)
```

```
original vector: array([0.0, 0.009775015390171337, 0.01954909674625918, ..., -0.
↪5275140569487312, -0.5357931822978732, -0.5440211108893639], dtype=float64)

spectrum: array([187.8635087634579, 315.3112063607119, 347.8814873399374, ..., 84.
↪45888934298905, 347.8814873399374, 315.3112063607118], dtype=float64)
```

As such, `spectrogram` is really just a shorthand for `np.sqrt(a*a + b*b)`:

```
# code to be run in micropython

from ulab import numpy as np
from ulab import scipy as spy

x = np.linspace(0, 10, num=1024)
y = np.sin(x)

a, b = np.fft.fft(y)

print('\nspectrum calculated the hard way:\t', np.sqrt(a*a + b*b))
```

(continues on next page)

(continued from previous page)

```
a = spy.signal.spectrogram(y)

print('\nspectrum calculated the lazy way:\t', a)
```

```
spectrum calculated the hard way:    array([187.8635087634579, 315.3112063607119, 347.
↳ 8814873399374, ..., 84.45888934298905, 347.8814873399374, 315.3112063607118],
↳ dtype=float64)

spectrum calculated the lazy way:    array([187.8635087634579, 315.3112063607119, 347.
↳ 8814873399374, ..., 84.45888934298905, 347.8814873399374, 315.3112063607118],
↳ dtype=float64)
```


SCIPY.SPECIAL

scipy's `special` module defines several functions that behave as do the standard mathematical functions of the `numpy`, i.e., they can be called on any scalar, scalar-valued iterable (ranges, lists, tuples containing numbers), and on `ndarrays` without having to change the call signature. In all cases the functions return a new `ndarray` of typecode `float` (since these functions usually generate float values, anyway).

At present, `ulab`'s `special` module contains the following functions:

`erf`, `erfc`, `gamma`, and `gammaln`, and they can be called by prepending them by `scipy.special..`

```
# code to be run in micropython
```

```
from ulab import numpy as np
from ulab import scipy as spy
```

```
a = range(9)
b = np.array(a)
```

```
print('a: ', a)
print(spy.special.erf(a))
```

```
print('\nb: ', b)
print(spy.special.erfc(b))
```

```
a: range(0, 9)
array([0.0, 0.8427007929497149, 0.9953222650189527, 0.9999779095030014, 0.
↪ 9999999845827421, 1.0, 1.0, 1.0, 1.0], dtype=float64)

b: array([0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0], dtype=float64)
array([1.0, 0.1572992070502851, 0.004677734981047265, 2.209049699858544e-05, 1.
↪ 541725790028002e-08, 1.537459794428035e-12, 2.151973671249892e-17, 4.183825607779414e-
↪ 23, 1.122429717298293e-29], dtype=float64)
```


ULAB UTILITIES

There might be cases, when the format of your data does not conform to `ulab`, i.e., there is no obvious way to map the data to any of the five supported dtypes. A trivial example is an ADC or microphone signal with 32-bit resolution. For such cases, `ulab` defines the `utils` module, which, at the moment, has four functions that are not `numpy` compatible, but which should ease interfacing `ndarrays` to peripheral devices.

The `utils` module can be enabled by setting the `ULAB_HAS_UTILS_MODULE` constant to 1 in `ulab.h`:

```
#ifndef ULAB_HAS_UTILS_MODULE
#define ULAB_HAS_UTILS_MODULE      (1)
#endif
```

This still does not compile any functions into the firmware. You can add a function by setting the corresponding pre-processor constant to 1. E.g.,

```
#ifndef ULAB_UTILS_HAS_FROM_INT16_BUFFER
#define ULAB_UTILS_HAS_FROM_INT16_BUFFER    (1)
#endif
```

12.1 `from_int32_buffer`, `from_uint32_buffer`

With the help of `utils.from_int32_buffer`, and `utils.from_uint32_buffer`, it is possible to convert 32-bit integer buffers to `ndarrays` of float type. These functions have a syntax similar to `numpy.frombuffer`; they support the `count=-1`, and `offset=0` keyword arguments. However, in addition, they also accept `out=None`, and `byteswap=False`.

Here is an example without keyword arguments

```
# code to be run in micropython

from ulab import numpy as np
from ulab import utils

a = bytearray([1, 1, 0, 0, 0, 0, 0, 255])
print('a: ', a)
print()
print('unsigned integers: ', utils.from_uint32_buffer(a))

b = bytearray([1, 1, 0, 0, 0, 0, 0, 255])
print('\nb: ', b)
```

(continues on next page)

(continued from previous page)

```
print()
print('signed integers: ', utils.from_int32_buffer(b))
```

```
a: bytearray(b'\x01\x01\x00\x00\x00\x00\x00\xff')
```

```
unsigned integers: array([257.0, 4278190080.000001], dtype=float64)
```

```
b: bytearray(b'\x01\x01\x00\x00\x00\x00\x00\xff')
```

```
signed integers: array([257.0, -16777216.0], dtype=float64)
```

The meaning of `count`, and `offset` is similar to that in `numpy.frombuffer`. `count` is the number of floats that will be converted, while `offset` would discard the first `offset` number of bytes from the buffer before the conversion.

In the example above, repeated calls to either of the functions returns a new `ndarray`. You can save RAM by supplying the `out` keyword argument with a pre-defined `ndarray` of sufficient size, in which case the results will be inserted into the `ndarray`. If the `dtype` of `out` is not `float`, a `TypeError` exception will be raised.

```
# code to be run in micropython
```

```
from ulab import numpy as np
from ulab import utils

a = np.array([1, 2], dtype=np.float)
b = bytearray([1, 0, 1, 0, 0, 1, 0, 1])
print('b: ', b)
utils.from_uint32_buffer(b, out=a)
print('a: ', a)
```

```
b: bytearray(b'\x01\x00\x01\x00\x00\x01\x00\x01')
```

```
a: array([65537.0, 16777472.0], dtype=float64)
```

Finally, since there is no guarantee that the endianness of a particular peripheral device supplying the buffer is the same as that of the microcontroller, `from_(u)intbuffer` allows a conversion via the `byteswap` keyword argument.

```
# code to be run in micropython
```

```
from ulab import numpy as np
from ulab import utils

a = bytearray([1, 0, 0, 0, 0, 0, 0, 1])
print('a: ', a)
print('buffer without byteswapping: ', utils.from_uint32_buffer(a))
print('buffer with byteswapping: ', utils.from_uint32_buffer(a, byteswap=True))
```

```
a: bytearray(b'\x01\x00\x00\x00\x00\x00\x00\x01')
```

```
buffer without byteswapping: array([1.0, 16777216.0], dtype=float64)
```

```
buffer with byteswapping: array([16777216.0, 1.0], dtype=float64)
```

12.2 from_int16_buffer, from_uint16_buffer

These two functions are identical to `utils.from_int32_buffer`, and `utils.from_uint32_buffer`, with the exception that they convert 16-bit integers to floating point ndarrays.

code to be run in CPython

TRICKS

This section of the book discusses a couple of tricks that can be exploited to either speed up computations, or save on RAM. However, there is probably no silver bullet, and you have to evaluate your code in terms of execution speed (if the execution is time critical), or RAM used. You should also keep in mind that, if a particular code snippet is optimised on some hardware, there is no guarantee that on another piece of hardware, you will get similar improvements. Hardware implementations are vastly different. Some microcontrollers do not even have an FPU, so you should not be surprised that you get significantly different benchmarks. Just to underline this statement, you can study the [collection of benchmarks](#).

13.1 Use an ndarray, if you can

Many functions in `ulab` are implemented in a universal fashion, meaning that both generic micropython iterables, and ndarrays can be passed as an argument. E.g., both

```
from ulab import numpy as np

np.sum([1, 2, 3, 4, 5])
```

and

```
from ulab import numpy as np

a = np.array([1, 2, 3, 4, 5])
np.sum(a)
```

will return the micropython variable 15 as the result. Still, `np.sum(a)` is evaluated significantly faster, because in `np.sum([1, 2, 3, 4, 5])`, the interpreter has to fetch 5 micropython variables, convert them to `float`, and sum the values, while the C type of `a` is known, thus the interpreter can invoke a single `for` loop for the evaluation of the sum. In the `for` loop, there are no function calls, the iteration simply walks through the pointer holding the values of `a`, and adds the values to an accumulator. If the array `a` is already available, then you can gain a factor of 3 in speed by calling `sum` on the array, instead of using the list. Compared to the python implementation of the same functionality, the speed-up is around 40 (again, this might depend on the hardware).

On the other hand, if the array is not available, then there is not much point in converting the list to an ndarray and passing that to the function. In fact, you should expect a slow-down: the constructor has to iterate over the list elements, and has to convert them to a numerical type. On top of that, it also has to reserve RAM for the ndarray.

13.2 Use a reasonable dtype

Just as in `numpy`, the default `dtype` is `float`. But this does not mean that that is the most suitable one in all scenarios. If data are streamed from an 8-bit ADC, and you only want to know the maximum, or the sum, then it is quite reasonable to use `uint8` for the `dtype`. Storing the same data in `float` array would cost 4 or 8 times as much RAM, with absolutely no gain. Do not rely on the default value of the constructor's keyword argument, and choose one that fits!

13.3 Beware the axis!

Whenever `ulab` iterates over multi-dimensional arrays, the outermost loop is the first axis, then the second axis, and so on. E.g., when the sum of

```
a = array([[1, 2, 3, 4],
           [5, 6, 7, 8],
           [9, 10, 11, 12]], dtype=uint8)
```

is being calculated, first the data pointer walks along `[1, 2, 3, 4]` (innermost loop, last axis), then is moved back to the position, where 5 is stored (this is the nesting loop), and traverses `[5, 6, 7, 8]`, and so on. Moving the pointer back to 5 is more expensive, than moving it along an axis, because the position of 5 has to be calculated, whereas moving from 5 to 6 is simply an addition to the address. Thus, while the matrix

```
b = array([[1, 5, 9],
           [2, 6, 10],
           [3, 7, 11],
           [4, 8, 12]], dtype=uint8)
```

holds the same data as `a`, the summation over the entries in `b` is slower, because the pointer has to be re-wound three times, as opposed to twice in `a`. For small matrices the savings are not significant, but you would definitely notice the difference, if you had

```
a = array(range(2000)).reshape((2, 1000))
b = array(range(2000)).reshape((1000, 2))
```

The moral is that, in order to improve on the execution speed, whenever possible, you should try to make the last axis the longest. As a side note, `numpy` can re-arrange its loops, and puts the longest axis in the innermost loop. This is why the longest axis is sometimes referred to as the fast axis. In `ulab`, the order of the axes is fixed.

13.4 Reduce the number of artifacts

Before showing a real-life example, let us suppose that we want to interpolate uniformly sampled data, and the absolute magnitude is not really important, we only care about the ratios between neighbouring value. One way of achieving this is calling the `interp` functions. However, we could just as well work with slices.

```
# code to be run in CPython

a = array([0, 10, 2, 20, 4], dtype=np.uint8)
b = np.zeros(9, dtype=np.uint8)

b[::2] = 2 * a
b[1::2] = a[:-1] + a[1:]
```

(continues on next page)

(continued from previous page)

```
b //= 2
b
```

```
array([ 0,  5, 10,  6,  2, 11, 20, 12,  4], dtype=uint8)
```

b now has values from a at every even position, and interpolates the values on every odd position. If only the relative magnitudes are important, then we can even save the division by 2, and we end up with

code to be run in CPython

```
a = array([0, 10, 2, 20, 4], dtype=np.uint8)
b = np.zeros(9, dtype=np.uint8)

b[::2] = 2 * a
b[1::2] = a[:-1] + a[1:]

b
```

```
array([ 0, 10, 20, 12,  4, 22, 40, 24,  8], dtype=uint8)
```

Importantly, we managed to keep the results in the smaller dtype, uint8. Now, while the two assignments above are terse and pythonic, the code is not the most efficient: the right hand sides are compound statements, generating intermediate results. To store them, RAM has to be allocated. This takes time, and leads to memory fragmentation. Better is to write out the assignments in 4 instructions:

code to be run in CPython

```
b = np.zeros(9, dtype=np.uint8)

b[::2] = a
b[::2] += a
b[1::2] = a[:-1]
b[1::2] += a[1:]

b
```

```
array([ 0, 10, 20, 12,  4, 22, 40, 24,  8], dtype=uint8)
```

The results are the same, but no extra RAM is allocated, except for the views `a[:-1]`, and `a[1:]`, but those had to be created even in the origin implementation.

13.4.1 Upscaling images

And now the example: there are low-resolution thermal cameras out there. Low resolution might mean 8 by 8 pixels. Such a small number of pixels is just not reasonable to plot, no matter how small the display is. If you want to make the camera image a bit more pleasing, you can upscale (stretch) it in both dimensions. This can be done exactly as we up-scaled the linear array:

```
# code to be run in CPython

b = np.zeros((15, 15), dtype=np.uint8)

b[1::2,::2] = a[:-1,:]
b[1::2,::2] += a[1:, :]
b[1::2,::2] /= 2
b[:,1::2] = a[:, :-1:2]
b[:,1::2] += a[:, 2::2]
b[:,1::2] /= 2
```

Up-scaling by larger numbers can be done in a similar fashion, you simply have more assignments.

There are cases, when one cannot do away with the intermediate results. Two prominent cases are the `where` function, and indexing by means of a Boolean array. E.g., in

```
# code to be run in CPython

a = array([1, 2, 3, 4, 5])
b = a[a < 4]
b
```

```
array([1, 2, 3])
```

the expression `a < 4` produces the Boolean array,

```
# code to be run in CPython

a < 4
```

```
array([ True,  True,  True, False, False])
```

If you repeatedly have such conditions in a loop, you might have to periodically call the garbage collector to remove the Boolean arrays that are used only once.

```
# code to be run in CPython
```

PROGRAMMING ULAB

Earlier we have seen, how `ulab`'s functions and methods can be accessed in `micropython`. This last section of the book explains, how these functions are implemented. By the end of this chapter, not only would you be able to extend `ulab`, and write your own `numpy`-compatible functions, but through a deeper understanding of the inner workings of the functions, you would also be able to see what the trade-offs are at the `python` level.

14.1 Code organisation

As mentioned earlier, the `python` functions are organised into sub-modules at the C level. The C sub-modules can be found in `./ulab/code/`.

14.2 The `ndarray` object

14.2.1 General comments

`ndarrays` are efficient containers of numerical data of the same type (i.e., signed/unsigned chars, signed/unsigned integers or `mp_float_ts`, which, depending on the platform, are either C floats, or C doubles). Beyond storing the actual data in the void pointer `*array`, the type definition has eight additional members (on top of the base type). Namely, the `dtype`, which tells us, how the bytes are to be interpreted. Moreover, the `itemsize`, which stores the size of a single entry in the array, `boolean`, an unsigned integer, which determines, whether the arrays is to be treated as a set of Booleans, or as numerical data, `ndim`, the number of dimensions (`uint8_t`), `len`, the length of the array (the number of entries), the `shape` (`*size_t`), the `strides` (`*int32_t`). The length is simply the product of the numbers in `shape`.

The type definition is as follows:

```
typedef struct _ndarray_obj_t {
    mp_obj_base_t base;
    uint8_t dtype;
    uint8_t itemsize;
    uint8_t boolean;
    uint8_t ndim;
    size_t len;
    size_t shape[ULAB_MAX_DIMS];
    int32_t strides[ULAB_MAX_DIMS];
    void *array;
} ndarray_obj_t;
```


14.2.2 Memory layout

The values of an `ndarray` are stored in a contiguous segment in the RAM. The `ndarray` can be dense, meaning that all numbers in the linear memory segment belong to a linear combination of coordinates, and it can also be sparse, i.e., some elements of the linear storage space will be skipped, when the elements of the tensor are traversed.

In the RAM, the position of the item $M(n_1, n_2, \dots, n_{k-1}, n_k)$ in a dense tensor of rank k is given by the linear combination

:raw-latex:`\begin{equation} P(n_1, n_2, \dots, n_{k-1}, n_k) = n_1 s_1 + n_2 s_2 + \dots + n_{k-1} s_{k-1} + n_k s_k = \sum_{i=1}^k n_i s_i \end{equation}` where s_i are the strides of the tensor, defined as

:raw-latex:`\begin{equation} s_i = \prod_{j=i+1}^k l_j \end{equation}`

where l_j is length of the tensor along the j th axis. When the tensor is sparse (e.g., when the tensor is sliced), the strides along a particular axis will be multiplied by a non-zero integer. If this integer is different to ± 1 , the linear combination above cannot access all elements in the RAM, i.e., some numbers will be skipped. Note that $|s_1| > |s_2| > \dots > |s_{k-1}| > |s_k|$, even if the tensor is sparse. The statement is trivial for dense tensors, and it follows from the definition of s_i . For sparse tensors, a slice cannot have a step larger than the shape along that axis. But for dense tensors, $s_i/s_{i+1} = l_i$.

When creating a *view*, we simply re-calculate the `strides`, and re-set the `*array` pointer.

14.3 Iterating over elements of a tensor

The `shape` and `strides` members of the array tell us how we have to move our pointer, when we want to read out the numbers. For technical reasons that will become clear later, the numbers in `shape` and in `strides` are aligned to the right, and begin on the right hand side, i.e., if the number of possible dimensions is `ULAB_MAX_DIMS`, then `shape[ULAB_MAX_DIMS-1]` is the length of the last axis, `shape[ULAB_MAX_DIMS-2]` is the length of the last but one axis, and so on. If the number of actual dimensions, `ndim < ULAB_MAX_DIMS`, the first `ULAB_MAX_DIMS - ndim` entries in `shape` and `strides` will be equal to zero, but they could, in fact, be assigned any value, because these will never be accessed in an operation.

With this definition of the strides, the linear combination in $P(n_1, n_2, \dots, n_{k-1}, n_k)$ is a one-to-one mapping from the space of tensor coordinates, $(n_1, n_2, \dots, n_{k-1}, n_k)$, and the coordinate in the linear array, $n_1 s_1 + n_2 s_2 + \dots + n_{k-1} s_{k-1} + n_k s_k$, i.e., no two distinct sets of coordinates will result in the same position in the linear array.

Since the `strides` are given in terms of bytes, when we iterate over an array, the void data pointer is usually cast to `uint8_t`, and the values are converted using the proper data type stored in `ndarray->dtype`. However, there might be cases, when it makes perfect sense to cast `*array` to a different type, in which case the `strides` have to be re-scaled by the value of `ndarray->itemsz`.

14.3.1 Iterating using the unwrapped loops

The following macro definition is taken from `vector.h`, and demonstrates, how we can iterate over a single array in four dimensions.

```
#define ITERATE_VECTOR(type, array, source, sarray) do {
    size_t i=0;
    do {
        size_t j = 0;
        do {
            size_t k = 0;
            do {
```

(continues on next page)

(continued from previous page)

```

    size_t l = 0;
    do {
        *(array)++ = f(*(type *)(sarray));
        (sarray) += (source)->strides[ULAB_MAX_DIMS - 1];
        l++;
    } while(l < (source)->shape[ULAB_MAX_DIMS-1]);
    (sarray) -= (source)->strides[ULAB_MAX_DIMS - 1] * (source)->shape[ULAB_
↪MAX_DIMS-1];
    (sarray) += (source)->strides[ULAB_MAX_DIMS - 2];
    k++;
    } while(k < (source)->shape[ULAB_MAX_DIMS-2]);
    (sarray) -= (source)->strides[ULAB_MAX_DIMS - 2] * (source)->shape[ULAB_MAX_
↪DIMS-2];
    (sarray) += (source)->strides[ULAB_MAX_DIMS - 3];
    j++;
    } while(j < (source)->shape[ULAB_MAX_DIMS-3]);
    (sarray) -= (source)->strides[ULAB_MAX_DIMS - 3] * (source)->shape[ULAB_MAX_DIMS-
↪3];
    (sarray) += (source)->strides[ULAB_MAX_DIMS - 4];
    i++;
    } while(i < (source)->shape[ULAB_MAX_DIMS-4]);
} while(0)

```

We start with the innermost loop, the one recursing `l`. `array` is already of type `mp_float_t`, while the source array, `sarray`, has been cast to `uint8_t` in the calling function. The numbers contained in `sarray` have to be read out in the proper type dictated by `ndarray->dtype`. This is what happens in the statement `*((type *)(sarray))`, and this number is then fed into the function `f`. Vectorised mathematical functions produce *dense* arrays, and for this reason, we can simply advance the array pointer.

The advancing of the `sarray` pointer is a bit more involving: first, in the innermost loop, we simply move forward by the amount given by the last stride, which is `(source)->strides[ULAB_MAX_DIMS - 1]`, because the `shape` and the `strides` are aligned to the right. We move the pointer as many times as given by `(source)->shape[ULAB_MAX_DIMS-1]`, which is the length of the very last axis. Hence the the structure of the loop

```

size_t l = 0;
do {
    ...
    l++;
} while(l < (source)->shape[ULAB_MAX_DIMS-1]);

```

Once we have exhausted the last axis, we have to re-wind the pointer, and advance it by an amount given by the last but one stride. Keep in mind that in the the innermost loop we moved our pointer `(source)->shape[ULAB_MAX_DIMS-1]` times by `(source)->strides[ULAB_MAX_DIMS - 1]`, i.e., we re-wind it by moving it backwards by `(source)->strides[ULAB_MAX_DIMS - 1] * (source)->shape[ULAB_MAX_DIMS-1]`. In the next step, we move forward by `(source)->strides[ULAB_MAX_DIMS - 2]`, which is the last but one stride.

```

(sarray) -= (source)->strides[ULAB_MAX_DIMS - 1] * (source)->shape[ULAB_MAX_DIMS-1];
(sarray) += (source)->strides[ULAB_MAX_DIMS - 2];

```

This pattern must be repeated for each axis of the array, and this is how we arrive at the four nested loops listed above.

14.3.2 Re-winding arrays by means of a function

In addition to un-wrapping the iteration loops by means of macros, there is another way of traversing all elements of a tensor: we note that, since $|s_1| > |s_2| > \dots > |s_{k-1}| > |s_k|$, $P(n_1, n_2, \dots, n_{k-1}, n_k)$ changes most slowly in the last coordinate. Hence, if we start from the very beginning, ($n_i = 0$ for all i), and walk along the linear RAM segment, we increment the value of n_k as long as $n_k < l_k$. Once $n_k = l_k$, we have to reset n_k to 0, and increment n_{k-1} by one. After each such round, n_{k-1} will be incremented by one, as long as $n_{k-1} < l_{k-1}$. Once $n_{k-1} = l_{k-1}$, we reset both n_k , and n_{k-1} to 0, and increment n_{k-2} by one.

Rewinding the arrays in this way is implemented in the function `ndarray_rewind_array` in `ndarray.c`.

```
void ndarray_rewind_array(uint8_t ndim, uint8_t *array, size_t *shape, int32_t *strides,
↪size_t *coords) {
    // resets the data pointer of a single array, whenever an axis is full
    // since we always iterate over the very last axis, we have to keep track of
    // the last ndim-2 axes only
    array -= shape[ULAB_MAX_DIMS - 1] * strides[ULAB_MAX_DIMS - 1];
    array += strides[ULAB_MAX_DIMS - 2];
    for(uint8_t i=1; i < ndim-1; i++) {
        coords[ULAB_MAX_DIMS - 1 - i] += 1;
        if(coords[ULAB_MAX_DIMS - 1 - i] == shape[ULAB_MAX_DIMS - 1 - i]) { // we are at
↪a dimension boundary
            array -= shape[ULAB_MAX_DIMS - 1 - i] * strides[ULAB_MAX_DIMS - 1 - i];
            array += strides[ULAB_MAX_DIMS - 2 - i];
            coords[ULAB_MAX_DIMS - 1 - i] = 0;
            coords[ULAB_MAX_DIMS - 2 - i] += 1;
        } else { // coordinates can change only, if the last coordinate changes
            return;
        }
    }
}
```

and the function would be called as in the snippet below. Note that the innermost loop is factored out, so that we can save the `if(...)` statement for the last axis.

```
size_t *coords = ndarray_new_coords(results->ndim);
for(size_t i=0; i < results->len/results->shape[ULAB_MAX_DIMS - 1]; i++) {
    size_t l = 0;
    do {
        ...
        l++;
    } while(l < results->shape[ULAB_MAX_DIMS - 1]);
    ndarray_rewind_array(results->ndim, array, results->shape, strides, coords);
} while(0)
```

The advantage of this method is that the implementation is independent of the number of dimensions: the iteration requires more or less the same flash space for 2 dimensions as for 22. However, the price we have to pay for this convenience is the extra function call.

14.4 Iterating over two ndarrays simultaneously: broadcasting

Whenever we invoke a binary operator, call a function with two arguments of `ndarray` type, or assign something to an `ndarray`, we have to iterate over two views at the same time. The task is trivial, if the two `ndarrays` in question have the same shape (but not necessarily the same set of strides), because in this case, we can still iterate in the same loop. All that happens is that we move two data pointers in sync.

The problem becomes a bit more involving, when the shapes of the two `ndarrays` are not identical. For such cases, `numpy` defines so-called broadcasting, which boils down to two rules.

1. The shapes in the tensor with lower rank has to be prepended with axes of size 1 till the two ranks become equal.
2. Along all axes the two tensors should have the same size, or one of the sizes must be 1.

If, after applying the first rule the second is not satisfied, the two `ndarrays` cannot be broadcast together.

Now, let us suppose that we have two compatible `ndarrays`, i.e., after applying the first rule, the second is satisfied. How do we iterate over the elements in the tensors?

We should recall, what exactly we do, when iterating over a single array: normally, we move the data pointer by the last stride, except, when we arrive at a dimension boundary (when the last axis is exhausted). At that point, we move the pointer by an amount dictated by the strides. And this is the key: *dictated by the strides*. Now, if we have two arrays that are originally not compatible, we define new strides for them, and use these in the iteration. With that, we are back to the case, where we had two compatible arrays.

Now, let us look at the second broadcasting rule: if the two arrays have the same size, we take both `ndarrays'` strides along that axis. If, on the other hand, one of the `ndarrays` is of length 1 along one of its axes, we set the corresponding strides to 0. This will ensure that that data pointer is not moved, when we iterate over both `ndarrays` at the same time.

Thus, in order to implement broadcasting, we first have to check, whether the two above-mentioned rules can be satisfied, and if so, we have to find the two new sets of strides.

The `ndarray_can_broadcast` function from `ndarray.c` takes two `ndarrays`, and returns `true`, if the two arrays can be broadcast together. At the same time, it also calculates new strides for the two arrays, so that they can be iterated over at the same time.

```
bool ndarray_can_broadcast(ndarray_obj_t *lhs, ndarray_obj_t *rhs, uint8_t *ndim, size_t *
↳shape, int32_t *lstrides, int32_t *rstrides) {
    // returns True or False, depending on, whether the two arrays can be broadcast_
↳together
    // numpy's broadcasting rules are as follows:
    //
    // 1. the two shapes are either equal
    // 2. one of the shapes is 1
    memset(lstrides, 0, sizeof(size_t)*ULAB_MAX_DIMS);
    memset(rstrides, 0, sizeof(size_t)*ULAB_MAX_DIMS);
    lstrides[ULAB_MAX_DIMS - 1] = lhs->strides[ULAB_MAX_DIMS - 1];
    rstrides[ULAB_MAX_DIMS - 1] = rhs->strides[ULAB_MAX_DIMS - 1];
    for(uint8_t i=ULAB_MAX_DIMS; i > 0; i--) {
        if((lhs->shape[i-1] == rhs->shape[i-1]) || (lhs->shape[i-1] == 0) || (lhs->
↳shape[i-1] == 1) ||
        (rhs->shape[i-1] == 0) || (rhs->shape[i-1] == 1)) {
            shape[i-1] = MAX(lhs->shape[i-1], rhs->shape[i-1]);
            if(shape[i-1] > 0) (*ndim)++;
            if(lhs->shape[i-1] < 2) {
                lstrides[i-1] = 0;
            } else {
```

(continues on next page)

(continued from previous page)

```

        lstrides[i-1] = lhs->strides[i-1];
    }
    if(rhs->shape[i-1] < 2) {
        rstrides[i-1] = 0;
    } else {
        rstrides[i-1] = rhs->strides[i-1];
    }
} else {
    return false;
}
}
return true;
}

```

A good example of how the function would be called can be found in `vector.c`, in the `vector_arctan2` function:

```

mp_obj_t vectorise_arctan2(mp_obj_t y, mp_obj_t x) {
    ...
    uint8_t ndim = 0;
    size_t *shape = m_new(size_t, ULAB_MAX_DIMS);
    int32_t *xstrides = m_new(int32_t, ULAB_MAX_DIMS);
    int32_t *ystrides = m_new(int32_t, ULAB_MAX_DIMS);
    if(!ndarray_can_broadcast(ndarray_x, ndarray_y, &ndim, shape, xstrides, ystrides)) {
        mp_raise_ValueError(translate("operands could not be broadcast together"));
        m_del(size_t, shape, ULAB_MAX_DIMS);
        m_del(int32_t, xstrides, ULAB_MAX_DIMS);
        m_del(int32_t, ystrides, ULAB_MAX_DIMS);
    }

    uint8_t *xarray = (uint8_t *)ndarray_x->array;
    uint8_t *yarray = (uint8_t *)ndarray_y->array;

    ndarray_obj_t *results = ndarray_new_dense_ndarray(ndim, shape, NDARRAY_FLOAT);
    mp_float_t *rarray = (mp_float_t *)results->array;
    ...
}

```

After the new strides have been calculated, the iteration loop is identical to what we discussed in the previous section.

14.5 Contracting an ndarray

There are many operations that reduce the number of dimensions of an ndarray by 1, i.e., that remove an axis from the tensor. The drill is the same as before, with the exception that first we have to remove the strides and shape that corresponds to the axis along which we intend to contract. The `numerical_reduce_axes` function from `numerical.c` does that.

```

static void numerical_reduce_axes(ndarray_obj_t *ndarray, int8_t axis, size_t *shape,
    ↪int32_t *strides) {
    // removes the values corresponding to a single axis from the shape and strides array
    uint8_t index = ULAB_MAX_DIMS - ndarray->ndim + axis;
    if((ndarray->ndim == 1) && (axis == 0)) {
        index = 0;
    }
}

```

(continues on next page)

(continued from previous page)

```

    shape[ULAB_MAX_DIMS - 1] = 0;
    return;
}
for(uint8_t i = ULAB_MAX_DIMS - 1; i > 0; i--) {
    if(i > index) {
        shape[i] = ndarray->shape[i];
        strides[i] = ndarray->strides[i];
    } else {
        shape[i] = ndarray->shape[i-1];
        strides[i] = ndarray->strides[i-1];
    }
}
}

```

Once the reduced strides and shape are known, we place the axis in question in the innermost loop, and wrap it with the loops, whose coordinates are in the `strides`, and `shape` arrays. The `RUN_STD` macro from `numerical.h` is a good example. The macro is expanded in the `numerical_sum_mean_std_ndarray` function.

```

static mp_obj_t numerical_sum_mean_std_ndarray(ndarray_obj_t *ndarray, mp_obj_t axis,
↪uint8_t optype, size_t ddof) {
    uint8_t *array = (uint8_t *)ndarray->array;
    size_t *shape = m_new(size_t, ULAB_MAX_DIMS);
    memset(shape, 0, sizeof(size_t)*ULAB_MAX_DIMS);
    int32_t *strides = m_new(int32_t, ULAB_MAX_DIMS);
    memset(strides, 0, sizeof(uint32_t)*ULAB_MAX_DIMS);

    int8_t ax = mp_obj_get_int(axis);
    if(ax < 0) ax += ndarray->ndim;
    if((ax < 0) || (ax > ndarray->ndim - 1)) {
        mp_raise_ValueError(translate("index out of range"));
    }
    numerical_reduce_axes(ndarray, ax, shape, strides);
    uint8_t index = ULAB_MAX_DIMS - ndarray->ndim + ax;
    ndarray_obj_t *results = NULL;
    uint8_t *rarray = NULL;
    ...
}

```

Here is the macro for the three-dimensional case:

```

#define RUN_STD(ndarray, type, array, results, r, shape, strides, index, div) do {
    size_t k = 0;
    do {
        size_t l = 0;
        do {
            RUN_STD1((ndarray), type, (array), (results), (r), (index), (div));
            (array) -= (ndarray->strides[(index)] * (ndarray->shape[(index)]);
            (array) += (strides)[ULAB_MAX_DIMS - 1];
            l++;
        } while(l < (shape)[ULAB_MAX_DIMS - 1]);
        (array) -= (strides)[ULAB_MAX_DIMS - 2] * (shape)[ULAB_MAX_DIMS-2];
        (array) += (strides)[ULAB_MAX_DIMS - 3];
        k++;
    } while(k < (shape)[ULAB_MAX_DIMS - 2]);
} while(k < (shape)[ULAB_MAX_DIMS - 1]);

```

(continues on next page)

(continued from previous page)

```

    } while(k < (shape)[ULAB_MAX_DIMS - 2]);
} while(0)

```

In RUN_STD, we simply move our pointers; the calculation itself happens in the RUN_STD1 macro below. (Note that this is the implementation of the numerically stable Welford algorithm.)

```

#define RUN_STD1(ndarray, type, array, results, r, index, div)
({
    mp_float_t M, m, S = 0.0, s = 0.0;
    M = m = *(mp_float_t *)((type *) (array));
    for(size_t i=1; i < (ndarray)->shape[(index)]; i++) {
        (array) += (ndarray)->strides[(index)];
        mp_float_t value = *(mp_float_t *)((type *) (array));
        m = M + (value - M) / (mp_float_t)i;
        s = S + (value - M) * (value - m);
        M = m;
        S = s;
    }
    (array) += (ndarray)->strides[(index)];
    *(r)++ = MICROPY_FLOAT_C_FUN(sqrt)((ndarray)->shape[(index)] * s / (div));
})

```

14.6 Upcasting

When in an operation the dtypes of two arrays are different, the result's dtype will be decided by the following upcasting rules:

- Operations with two ndarrays of the same dtype preserve their dtype, even when the results overflow.
- if either of the operands is a float, the result automatically becomes a float
- otherwise
 - uint8 + int8 => int16,
 - uint8 + int16 => int16
 - uint8 + uint16 => uint16
 - int8 + int16 => int16
 - int8 + uint16 => uint16 (in numpy, the result is a int32)
 - uint16 + int16 => float (in numpy, the result is a int32)
- When one operand of a binary operation is a generic scalar micropython variable, i.e., mp_obj_int, or mp_obj_float, it will be converted to a linear array of length 1, and with the smallest dtype that can accommodate the variable in question. After that the broadcasting rules apply, as described in the section *Iterating over two ndarrays simultaneously: broadcasting*

Upcasting is resolved in place, wherever it is required. Notable examples can be found in `ndarray_operators.c`

14.7 Slicing and indexing

An `ndarray` can be indexed with three types of objects: integer scalars, slices, and another `ndarray`, whose elements are either integer scalars, or Booleans. Since slice and integer indices can be thought of as modifications of the `strides`, these indices return a view of the `ndarray`. This statement does not hold for `ndarray` indices, and therefore, the return a copy of the array.

14.8 Extending ulab

The `user` module is disabled by default, as can be seen from the last couple of lines of `ulab.h`

```
// user-defined module
#ifndef ULAB_USER_MODULE
#define ULAB_USER_MODULE          (0)
#endif
```

The module contains a very simple function, `user_dummy`, and this function is bound to the module itself. In other words, even if the module is enabled, one has to `import`:

```
import ulab
from ulab import user

user.dummy_function(2.5)
```

which should just return 5.0. Even if `numpy-compatibility` is required (i.e., if most functions are bound at the top level to `ulab` directly), having to `import` the module has a great advantage. Namely, only the `user.h` and `user.c` files have to be modified, thus it should be relatively straightforward to update your local copy from [github](#).

Now, let us see, how we can add a more meaningful function.

14.9 Creating a new ndarray

In the *General comments* sections we have seen the type definition of an `ndarray`. This structure can be generated by means of a couple of functions listed in `ndarray.c`.

14.9.1 ndarray_new_ndarray

The `ndarray_new_ndarray` functions is called by all other array-generating functions. It takes the number of dimensions, `ndim`, a `uint8_t`, the `shape`, a pointer to `size_t`, the `strides`, a pointer to `int32_t`, and `dtype`, another `uint8_t` as its arguments, and returns a new array with all entries initialised to 0.

Assuming that `ULAB_MAX_DIMS > 2`, a new dense array of dimension 3, of shape (3, 4, 5), of strides (1000, 200, 10), and dtype `uint16_t` can be generated by the following instructions

```
size_t *shape = m_new(size_t, ULAB_MAX_DIMS);
shape[ULAB_MAX_DIMS - 1] = 5;
shape[ULAB_MAX_DIMS - 2] = 4;
shape[ULAB_MAX_DIMS - 3] = 3;

int32_t *strides = m_new(int32_t, ULAB_MAX_DIMS);
```

(continues on next page)

(continued from previous page)

```

strides[ULAB_MAX_DIMS - 1] = 10;
strides[ULAB_MAX_DIMS - 2] = 200;
strides[ULAB_MAX_DIMS - 3] = 1000;

ndarray_obj_t *new_ndarray = ndarray_new_ndarray(3, shape, strides, NDARRAY_UINT16);

```

14.9.2 ndarray_new_dense_ndarray

The functions simply calculates the strides from the shape, and calls `ndarray_new_ndarray`. Assuming that `ULAB_MAX_DIMS > 2`, a new dense array of dimension 3, of shape (3, 4, 5), and dtype `mp_float_t` can be generated by the following instructions

```

size_t *shape = m_new(size_t, ULAB_MAX_DIMS);
shape[ULAB_MAX_DIMS - 1] = 5;
shape[ULAB_MAX_DIMS - 2] = 4;
shape[ULAB_MAX_DIMS - 3] = 3;

ndarray_obj_t *new_ndarray = ndarray_new_dense_ndarray(3, shape, NDARRAY_FLOAT);

```

14.9.3 ndarray_new_linear_array

Since the dimensions of a linear array are known (1), the `ndarray_new_linear_array` takes the length, a `size_t`, and the dtype, an `uint8_t`. Internally, `ndarray_new_linear_array` generates the shape array, and calls `ndarray_new_dense_array` with `ndim = 1`.

A linear array of length 100, and dtype `uint8` could be created by the function call

```

ndarray_obj_t *new_ndarray = ndarray_new_linear_array(100, NDARRAY_UINT8)

```

14.9.4 ndarray_new_ndarray_from_tuple

This function takes a tuple, which should hold the lengths of the axes (in other words, the shape), and the dtype, and calls internally `ndarray_new_dense_array`. A new ndarray can be generated by calling

```

ndarray_obj_t *new_ndarray = ndarray_new_ndarray_from_tuple(shape, NDARRAY_FLOAT);

```

where `shape` is a tuple.

14.9.5 ndarray_new_view

This function crates a *view*, and takes the source, an ndarray, the number of dimensions, an `uint8_t`, the shape, a pointer to `size_t`, the strides, a pointer to `int32_t`, and the offset, an `int32_t` as arguments. The offset is the number of bytes by which the void array pointer is shifted. E.g., the python statement

```

a = np.array([0, 1, 2, 3, 4, 5], dtype=uint8)
b = a[1::2]

```

produces the array

```
array([1, 3, 5], dtype=uint8)
```

which holds its data at position `x0 + 1`, if `a`'s pointer is at `x0`. In this particular case, the offset is 1.

The array `b` from the example above could be generated as

```
size_t *shape = m_new(size_t, ULAB_MAX_DIMS);
shape[ULAB_MAX_DIMS - 1] = 3;

int32_t *strides = m_new(int32_t, ULAB_MAX_DIMS);
strides[ULAB_MAX_DIMS - 1] = 2;

int32_t offset = 1;
uint8_t ndim = 1;

ndarray_obj_t *new_ndarray = ndarray_new_view(ndarray_a, ndim, shape, strides, offset);
```

14.9.6 ndarray_copy_array

The `ndarray_copy_array` function can be used for copying the contents of an array. Note that the target array has to be created beforehand. E.g., a one-to-one copy can be gotten by

```
ndarray_obj_t *new_ndarray = ndarray_new_ndarray(source->ndim, source->shape, source->
    ↳strides, source->dtype);
ndarray_copy_array(source, new_ndarray);
```

Note that the function cannot be used for forcing type conversion, i.e., the input and output types must be identical, because the function simply calls the `memcpy` function. On the other hand, the input and output `strides` do not necessarily have to be equal.

14.9.7 ndarray_copy_view

The `ndarray_obj_t *new_ndarray = ...` instruction can be saved by calling the `ndarray_copy_view` function with the single `source` argument.

14.10 Accessing data in the ndarray

Having seen, how arrays can be generated and copied, it is time to look at how the data in an `ndarray` can be accessed and modified.

For starters, let us suppose that the object in question comes from the user (i.e., via the `micropython` interface), First, we have to acquire a pointer to the `ndarray` by calling

```
ndarray_obj_t *ndarray = MP_OBJ_TO_PTR(object_in);
```

If it is not clear, whether the object is an `ndarray` (e.g., if we want to write a function that can take `ndarrays`, and other iterables as its argument), we find this out by evaluating

```
mp_obj_is_type(object_in, &ulab_ndarray_type)
```

which should return `true`. Once the pointer is at our disposal, we can get a pointer to the underlying numerical array as discussed earlier, i.e.,

```
uint8_t *array = (uint8_t *)ndarray->array;
```

If you need to find out the `dtype` of the array, you can get it by accessing the `dtype` member of the `ndarray`, i.e.,

```
ndarray->dtype
```

should be equal to `B`, `b`, `H`, `h`, or `f`. The size of a single item is stored in the `itemsz` member. This number should be equal to 1, if the `dtype` is `B`, or `b`, 2, if the `dtype` is `H`, or `h`, 4, if the `dtype` is `f`, and 8 for `d`.

14.11 Boilerplate

In the next section, we will construct a function that generates the element-wise square of a dense array, otherwise, raises a `TypeError` exception. Dense arrays can easily be iterated over, since we do not have to care about the `shape` and the `strides`. If the array is sparse, the section *Iterating over elements of a tensor* should contain hints as to how the iteration can be implemented.

The function is listed under `user.c`. The `user` module is bound to `ulab` in `ulab.c` in the lines

```
#if ULAB_USER_MODULE
    { MP_ROM_QSTR(MP_QSTR_user), MP_ROM_PTR(&ulab_user_module) },
#endif
```

which assumes that at the very end of `ulab.h` the

```
// user-defined module
#ifndef ULAB_USER_MODULE
#define ULAB_USER_MODULE          (1)
#endif
```

constant has been set to 1. After compilation, you can call a particular user function in python by importing the module first, i.e.,

```
from ulab import numpy as np
from ulab import user

user.some_function(...)
```

This separation of user-defined functions from the rest of the code ensures that the integrity of the main module and all its functions are always preserved. Even in case of a catastrophic failure, you can exclude the `user` module, and start over.

And now the function:

```
static mp_obj_t user_square(mp_obj_t arg) {
    // the function takes a single dense ndarray, and calculates the
    // element-wise square of its entries

    // raise a TypeError exception, if the input is not an ndarray
    if(!mp_obj_is_type(arg, &ulab_ndarray_type)) {
        mp_raise_TypeError(translate("input must be an ndarray"));
    }
}
```

(continues on next page)

(continued from previous page)

```

ndarray_obj_t *ndarray = MP_OBJ_TO_PTR(arg);

// make sure that the input is a dense array
if(!ndarray_is_dense(ndarray)) {
    mp_raise_TypeError(translate("input must be a dense ndarray"));
}

// if the input is a dense array, create `results` with the same number of
// dimensions, shape, and dtype
ndarray_obj_t *results = ndarray_new_dense_ndarray(ndarray->ndim, ndarray->shape,
↪ ndarray->dtype);

// since in a dense array the iteration over the elements is trivial, we
// can cast the data arrays ndarray->array and results->array to the actual type
if(ndarray->dtype == NDARRAY_UINT8) {
    uint8_t *array = (uint8_t *)ndarray->array;
    uint8_t *rarray = (uint8_t *)results->array;
    for(size_t i=0; i < ndarray->len; i++, array++) {
        *rarray++ = (*array) * (*array);
    }
} else if(ndarray->dtype == NDARRAY_INT8) {
    int8_t *array = (int8_t *)ndarray->array;
    int8_t *rarray = (int8_t *)results->array;
    for(size_t i=0; i < ndarray->len; i++, array++) {
        *rarray++ = (*array) * (*array);
    }
} else if(ndarray->dtype == NDARRAY_UINT16) {
    uint16_t *array = (uint16_t *)ndarray->array;
    uint16_t *rarray = (uint16_t *)results->array;
    for(size_t i=0; i < ndarray->len; i++, array++) {
        *rarray++ = (*array) * (*array);
    }
} else if(ndarray->dtype == NDARRAY_INT16) {
    int16_t *array = (int16_t *)ndarray->array;
    int16_t *rarray = (int16_t *)results->array;
    for(size_t i=0; i < ndarray->len; i++, array++) {
        *rarray++ = (*array) * (*array);
    }
} else { // if we end up here, the dtype is NDARRAY_FLOAT
    mp_float_t *array = (mp_float_t *)ndarray->array;
    mp_float_t *rarray = (mp_float_t *)results->array;
    for(size_t i=0; i < ndarray->len; i++, array++) {
        *rarray++ = (*array) * (*array);
    }
}
// at the end, return a micropython object
return MP_OBJ_FROM_PTR(results);
}

```

To summarise, the steps for *implementing* a function are

1. If necessary, inspect the type of the input object, which is always a `mp_obj_t` object
2. If the input is an `ndarray_obj_t`, acquire a pointer to it by calling `ndarray_obj_t *ndarray =`

```
MP_OBJ_TO_PTR(arg);
```

3. Create a new array, or modify the existing one; get a pointer to the data by calling `uint8_t *array = (uint8_t *)ndarray->array;`, or something equivalent
4. Once the new data have been calculated, return a micropython object by calling `MP_OBJ_FROM_PTR(...)`.

The listing above contains the implementation of the function, but as such, it cannot be called from python: it still has to be bound to the name space. This we do by first defining a function object in

```
MP_DEFINE_CONST_FUN_OBJ_1(user_square_obj, user_square);
```

micropython defines a number of `MP_DEFINE_CONST_FUN_OBJ_N` macros in `obj.h`. `N` is always the number of arguments the function takes. We had a function definition `static mp_obj_t user_square(mp_obj_t arg)`, i.e., we dealt with a single argument.

Finally, we have to bind this function object in the globals table of the user module:

```
STATIC const mp_rom_map_elem_t ulab_user_globals_table[] = {  
    { MP_OBJ_NEW_QSTR(MP_QSTR__name__), MP_OBJ_NEW_QSTR(MP_QSTR_user) },  
    { MP_OBJ_NEW_QSTR(MP_QSTR_square), (mp_obj_t)&user_square_obj },  
};
```

Thus, the three steps required for the definition of a user-defined function are

1. The low-level implementation of the function itself
2. The definition of a function object by calling `MP_DEFINE_CONST_FUN_OBJ_N()`
3. Binding this function object to the namespace in the `ulab_user_globals_table[]`

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`